

p-ISSN 2714-9749

e-ISSN 2715-1972



INDONESIAN JOURNAL OF GLOBAL HEALTH RESEARCH



9 772714 974007



9 772715 197009

Published By :
Global Health Science Group




0.634551
Impact

470
Google Citations


Sinta 3
Current Accreditation

- Google Scholar
- Garuda
- Website
- Editor URL

History Accreditation



Garuda Google Scholar



Journal By Google Scholar

| | All | Since 2019 |
|-----------|-----|------------|
| Citation | 470 | 470 |
| h-index | 8 | 8 |
| i10-index | 5 | 5 |

[Home](#) / [Editorial Team](#)

Editor In Chief

[Livana PH](#) (Sekolah Tinggi Ilmu Kesehatan Kendal, Indonesia) [Orcid ID: 0000-0002-4905-7214; SINTA ID : 5983298; Schopus ID : 57216412428](#)

Editorial Team

[Midhu Kurian](#) (College of Nursing, IQ City Medical College, West Bengal, India)

[Mohammad Fatkhul Mubin](#) (Universitas Muhammadiyah Semarang, Indonesia) [Orcid ID: 0000-0001-5171-8627; Sinta ID: 5997757; Scopus ID: 57205695107](#)

[Abdul Wakhid](#) (Universitas Ngudi Waluyo, Indonesia) [Orcid ID: 0000-0002-0941-3720; SINTA ID : 6091883; Scopus ID: 57211785353](#)

[Yulia Susanti](#) (Sekolah Tinggi Ilmu Kesehatan Kendal) [Sinta ID: 5981513; Scopus ID: 57216415108](#)

[Eman Dawood](#) (King Saud bin Abdulaziz University for Health Sciences – Riyadh, Saudi Arabia)

[Amel Dawod Kamel Gudia](#) (Cairo University, Egypt)

Smriti Mani (OSD Nursing, Nursing Dorectorate, Govt. of West Bengal, India)

Sandeep Poddar (Lincoln University College, Malaysia)

[Yazid Basthomi](#) (Universitas Negeri Malang, Indonesia)

[Firman Aziz](#) (Universitas Pendidikan Indonesia, Indonesia)

[Rania Abd El-Hak Eid Farrag](#) (Faculty of Nursing, Fayoum university, Egypt)

[Editorial Team](#)

[Peer-Reviewers](#)

[Peer Review Process](#)

[Publication Frequency](#)

Indonesian Journal of Global Health Research

Current Archives Search About ▾

[Home](#) / [Archives](#) / Vol 6 No 6 (2024): Indonesian Journal of Global Health Research; December 2024



DOI: <https://doi.org/10.37287/ijghr.v6i6>

Published: 2024-10-12

Articles

Interventions for Reducing Post-Traumatic Stress Disorder in Intensive Care Unit Survivors: A Scoping Review

Dadan Ramdani, Faculty of Nursing, Universitas Padjadjaran, Indonesia

Defa Larashati, Faculty of Nursing, Universitas Padjadjaran, Indonesia

Lurdes Acorta Freitas, Faculty of Nursing, Universitas Padjadjaran, Indonesia

Nur Azmi Lilikliswati, Faculty of Nursing, Universitas Padjadjaran, Indonesia

Suryani Suryani, Faculty of Nursing, Universitas Padjadjaran, Indonesia

3401-3414



Relationship of Parental Role and Self-Conrol Towards Adolescent Premarital Sexual Behaviour

Shafa Amanda Tasya Kamila, Faculty of Nursing, Universitas Padjadjaran, Indonesia

Ermianti Ermianti, Faculty of Nursing, Universitas Padjadjaran, Indonesia

Raini Diah Susanti, Faculty of Nursing, Universitas Padjadjaran, Indonesia

3415-3424



PDF

The Effect of A Combination of Prenatal Yoga, Relaxation Music, and Agarwood Aromatherapy on the Quality of Women's Sleep of Third Trimester Pregnancy

Elfanda Sholihah Uzakki, Faculty of Health Sciences, Universitas Borneo Tarakan, Indonesia

Ika Yulianti, Faculty of Health Sciences, Universitas Borneo Tarakan, Indonesia

Ririn Ariyanti, Faculty of Health Sciences, Universitas Borneo Tarakan, Indonesia

3425-3434



PDF

Effectiveness of Prenatal Yoga in Reducing Lower Back Pain and Sciatica in Pregnant Women

Syahrul Syafitri, Faculty of Health Sciences, Universitas Borneo Tarakan, Indonesia

Ika Yulianti, Faculty of Health Sciences, Universitas Borneo Tarakan, Indonesia

Agus Purnamasari, Faculty of Health Sciences, Universitas Borneo Tarakan, Indonesia

3435-3442



PDF

The Role of Cross-Sectoral Cooperation, Family Support, and Knowledge on the Activeness of Prolanis Participants

Rodiah Pulungan, Faculty of Nursing, Universitas Muhammadiyah Jakarta, Indonesia

Nurhayati Nurhayati, Faculty of Nursing, Universitas Muhammadiyah Jakarta, Indonesia

Tria Astika Endah Permatasari, Faculty of Nursing, Universitas Muhammadiyah Jakarta, Indonesia

Syamsul Anwar, Faculty of Nursing, Universitas Muhammadiyah Jakarta, Indonesia

3343-3352



PDF

Comparative Study of HIV/AIDS Prevention Behaviors between Students in Schools that Do Not and Have PIK-R

Eva Nurfadila, Faculty of Nursing, Universitas Padjajaran, Indonesia

Sri Hartati Pratiwi, Faculty of Nursing, Universitas Padjajaran, Indonesia

Siti Ulfah Rifa'atul Fitri, Faculty of Nursing, Universitas Padjajaran, Indonesia

3453-3462



PDF

Effect of Digital Health Education Towards Anxiety among Pre-Operative Patients: A Systematic Review

Daniel Nong Danche, Faculty of Nursing, Universitas Airlangga, Indonesia

Tintin Sukartini, Faculty of Nursing, Universitas Airlangga, Indonesia

Aria Aulia Nastiti, Faculty of Nursing, Universitas Airlangga, Indonesia

Ira Suarilah, Faculty of Nursing, Universitas Airlangga, Indonesia
3463-3474



Relationship Between Knowledge and Community Attitudes in Preventing Leptospirosis

Maharani Suci Wulandari, Faculty of Nursing and Midwifery, Universitas Nahdlatul Ulama Surabaya, Indonesia
Elza Anggraeni Trisnawati, Faculty of Nursing and Midwifery, Universitas Nahdlatul Ulama Surabaya, Indonesia
Achmad Husen, Faculty of Nursing and Midwifery, Universitas Nahdlatul Ulama Surabaya, Indonesia
Hilwatut Taqiyah, Faculty of Nursing and Midwifery, Universitas Nahdlatul Ulama Surabaya, Indonesia
Siti Nur Hasina, Faculty of Nursing and Midwifery, Universitas Nahdlatul Ulama Surabaya, Indonesia
3475-3484



Exploring Stroke Therapy in Non-Urban Area: A Qualitative Descriptive Study

Kartika Setia Purdani, Faculty of Nursing, Universitas Muhammadiyah Kalimantan Timur, Indonesia
Somporn Rungreangkulkij, Faculty of Nursing, Khon Kaen University, Thailand
3483-3492



Mindfulness and Lavender Aromatherapy Techniques for Anxiety in Cervical Cancer Patients Those Undergoing Chemotherapy: Literature Review

Rosniati Rosniati, Faculty of Nursing, Universitas Riau, Indonesia
Erika Erika, Faculty of Nursing, Universitas Riau, Indonesia
Nurul Huda, Faculty of Nursing, Universitas Riau, Indonesia
3495-3504



Evaluation of the Implementation of the Hospital Management Information System Using the Hot-Fit Method

Tania Evita Salsabila, Universitas Pelita Harapan, Indonesia
Shela Julia Veronica, Universitas Pelita Harapan, Indonesia
3505-3516



The Influence of Birth Ball on the Longer Time I Active Phase in Babring

Popy Apriyanti, Sekolah Tinggi Ilmu Kesehatan Abdurahman Palembang, Indonesia
Apriyanti Aini, Sekolah Tinggi Ilmu Kesehatan Abdurahman Palembang, Indonesia
Rinda Lamdayani, Sekolah Tinggi Ilmu Kesehatan Abdurahman Palembang, Indonesia
Titin Apriyani, Sekolah Tinggi Ilmu Kesehatan Abdurahman Palembang, Indonesia
3517-3522



Leaflet Media to Increase Knowledge and Attitudes of Pregnant Women in Exclusive Breastfeeding to Prevent Stunting

Ana Sundari, Poltekkes Kemenkes Semarang, Indonesia

Budi Astyandini, Poltekkes Kemenkes Semarang, Indonesia

Rozikhan Rozikhan, Poltekkes Kemenkes Semarang, Indonesia

3523-3528



PDF

Effectiveness of Ginger Drink (Zingiber Officinale Var Rubrum) on Reducing Nausea and Vomiting in Trimester I Pregnant Women

Ika Wahyuni, Sulianti Saroso Infectious Disease Hospital, Indonesia

Ita Herawati, Sekolah Tinggi Ilmu Kesehatan Abdi Nusantara Jakarta, Indonesia

Aninda Dinar Widiantari, Sulianti Saroso Infectious Disease Hospital, Indonesia

Farida Murtiani, Sulianti Saroso Infectious Disease Hospital, Indonesia

3529-3536



PDF

The Relationship of Lifestyle to Hypertension in Young Adults: A Cross-Sectional Study

Inglee Lala Roring, Faculty of Nursing, Universitas Pelita Harapan, Indonesia

Ivon Kristiawati Banggiling, Faculty of Nursing, Universitas Pelita Harapan, Indonesia

Redita Elok Winanti, Faculty of Nursing, Universitas Pelita Harapan, Indonesia

Evanny Indah Manurung, Faculty of Nursing, Universitas Pelita Harapan, Indonesia

Ester Silitonga, Siloam Training Center, Indonesia

3537-3544



PDF

Association Between Emotional Regulation and Internet Addiction in Nursing Students

Ayu Julea Ketty, Siloam Hospital Labuan Bajo, Indonesia

Jenny Deventi Kore Djami, Siloam Hospital Denpasar, Indonesia

Merci Theresiani Febrianti Tonael, Siloam Hospital Mampang, Indonesia

Maria Veronika Ayu Florensa, Faculty of Nursing, Universitas Pelita Harapan, Indonesia

Novita Susilawati Barus, Faculty of Nursing, Universitas Pelita Harapan, Indonesia

3545-3552



PDF

Stigma Towards People Living with HIV/AIDS in the Tourist Area of Batu Hiu Beach

Marisha Cheryl Angelita, Faculty of Nursing, Universitas Padjadjaran, Indonesia

Irman Somantri, Faculty of Nursing, Universitas Padjadjaran, Indonesia

Kurniawan Kurniawan, Faculty of Nursing, Universitas Padjadjaran, Indonesia

3553-3560



PDF

The Effect of Lavender Aromatherapy Relaxation Techniques on Labor Progress During Stage I Active Phase

Nurqalbi Sampara, Universitas Megarezky, Indonesia

Sumarni Marwang, Universitas Megarezky, Indonesia

Jumrah Sudirman, Universitas Megarezky, Indonesia

Mika Dwina Shafira, Universitas Megarezky, Indonesia

3561-3568

Effectiveness of the Supplementary Feeding Program on the Nutritional Status of Stunted Toddlers

Nurlathifah N. Yusuf, STIKes Hamzar Memben Lombok Timur, Indonesia

Nurul Fitriani, STIKes Hamzar Memben Lombok Timur, Indonesia

Siti Naili Ilmiyani, STIKes Hamzar Memben Lombok Timur, Indonesia

Supiani Supiani, STIKes Hamzar Memben Lombok Timur, Indonesia

3569-3576

 PDF

The Effect of High-Dose Intravenous N-Acetylcysteine Administration on Tumor Necrosis Factor- α (TNF)

Sahrhun Sahrhun, Faculty of Medicine, Universitas Al Azhar Mataram, Indonesia

3577-3586

 PDF

Application of the Orem Self Care Theory in the Assessment of Mothers with Severe Preeclampsia with Electrolyte Disorders: Case Study

Irma Rachmawati, Faculty of Nursing, Universitas Padjadjaran, Indonesia

Windy Natasha, RSUP Dr. Hasan Sadikin Bandung, Indonesia

Ermianti Ermianti, Faculty of Nursing, Universitas Padjadjaran, Indonesia

Restuning Widiasih, Faculty of Nursing, Universitas Padjadjaran, Indonesia

3587-3594

 PDF

Application of Weidenbach and Levine's Conservative Theory to Assessment abnormal Uterine Bleeding with Hypovolemic Shock

Yayu Handayani Syaidar Putri, Faculty of Nursing, Universitas Padjadjaran, Indonesia

Windy Natasha, RSUP Dr. Hasan Sadikin Bandung, Indonesia

Restuning Widiasih, Faculty of Nursing, Universitas Padjadjaran, Indonesia

3595-3606

 PDF

The Effectiveness of Mandala Coloring Therapy on Stress Levels in the Elderly

Vinda Nuri Fadhila, Universitas Muhammadiyah Surakarta, Indonesia

Kartinah Kartinah, Universitas Muhammadiyah Surakarta, Indonesia

3607-3612



The Correlation of Screen Time with Social Emotional Development in Preschool Children Age 4-6 Years

Denisa Adella, Faculty of Nursing, Universitas Padjadjaran, Indonesia

Windy Rakhmawati, Faculty of Nursing, Universitas Padjadjaran, Indonesia

Imas Rafiyah, Faculty of Nursing, Universitas Padjadjaran, Indonesia

3613-3622



The Implementation of Grew-Deal Nursing Interventions to Achieve Ideal Body Weight in High School Students

Andi Pranata, Faculty of Nursing, Universitas Indonesia, Indonesia

Astuti Yuni Nursasi, Faculty of Nursing, Universitas Indonesia, Indonesia

Dwi Cahya Rahmadiyah, Faculty of Nursing, Universitas Indonesia, Indonesia

3623-3630



The Ipswich Touch Test (IPTT) has the Sensitivity and Specificity Equivalent to the Monofilament Test for the Detection of Diabetic Sensory Neuropathy

Revalina Silmy Alvira, Politeknik Kesehatan Kementerian Kesehatan Bengkulu, Indonesia

Dahrizal Dahrizal, Politeknik Kesehatan Kementerian Kesehatan Bengkulu, Indonesia

Idramsyah Idramsyah, Politeknik Kesehatan Kementerian Kesehatan Bengkulu, Indonesia

Septiyanti Septiyanti, Politeknik Kesehatan Kementerian Kesehatan Bengkulu, Indonesia

Widia Lestari, Politeknik Kesehatan Kementerian Kesehatan Bengkulu, Indonesia

3631-3642



The Relationship between HIV Human Immunodeficiency Virus and the Incidence of Tuberculosis (TB)

Misutarno Misutarno, Faculty of Nursing and Midwifery, Universitas Nahdlatul Ulama Surabaya, Indonesia

Siti Nur Hasina, Faculty of Nursing and Midwifery, Universitas Nahdlatul Ulama Surabaya, Indonesia

M. Shodiq, Faculty of Nursing and Midwifery, Universitas Nahdlatul Ulama Surabaya, Indonesia

Khamida Khamida, Faculty of Nursing and Midwifery, Universitas Nahdlatul Ulama Surabaya, Indonesia

Rahmadanar Aditya Putri, Faculty of Nursing and Midwifery, Universitas Nahdlatul Ulama Surabaya, Indonesia

3643-3650



The Effectiveness of Implementing Dzikir Therapy to Reduce Anxiety Levels in the Elderly

Refina Anggraini, Faculty of Health Sciences, Universitas Muhammadiyah Surakarta, Indonesia

Kartinah Kartinah, Faculty of Health Sciences, Universitas Muhammadiyah Surakarta, Indonesia

3651-3658



Validity Test of Acupressure Digital Massage Tools (ADMT) on the Level of Comfort

Supriyadi Supriyadi, Politeknik Kementerian Kesehatan Semarang, Indonesia

Sudirman Sudirman, Politeknik Kementerian Kesehatan Semarang, Indonesia

Umi Margi Rahayu, Politeknik Kementerian Kesehatan Semarang, Indonesia

3659-3664



Product Design of Electronic Pocketbooks (MAMABOOKS) for Oral Health Care for Pregnant Women

Ferdiana Maharani, Faculty of Public Health, Universitas Diponegoro, Indonesia

Syamsulhuda Budi Musthofa, Faculty of Public Health, Universitas Diponegoro, Indonesia

Farid Agushybana, Faculty of Public Health, Universitas Diponegoro, Indonesia

3665-3674



Scabies Among Adolescents in Islamic Religious Boarding Schools: A Descriptive Study

Ikbal Fradianto, Faculty of Medicine, Universitas Tanjungpura, Indonesia

Nadia Rahmawati, Faculty of Medicine, Universitas Tanjungpura, Indonesia

Nurmainah Nurmainah, Faculty of Medicine, Universitas Tanjungpura, Indonesia

Mita Mita, Faculty of Medicine, Universitas Tanjungpura, Indonesia

I Made Moh. Yanuar Saifudin, Faculty of Medicine, Universitas Tanjungpura, Indonesia

3683-3690



Application of Unpleasant Symptoms Theory Assessment and Roy Adaptation Model Theory in Patients with Stage III Cervical Cancer

Ruth Jomlaay, Faculty of Nursing, Universitas Padjadjaran, Indonesia

Windy Natasha, RSUP Dr. Hasan Sadikin Bandung, Indonesia

Restuning Widiasih, Faculty of Nursing, Universitas Padjadjaran, Indonesia

Mira Trisyani, Faculty of Nursing, Universitas Padjadjaran, Indonesia

3691-3702



Perception of Health Profession Students Towards Interprofessional Education at Hospital

Bella Alvina Lim, Faculty of Medicine, Universitas Andalas, Indonesia

Yevri Zulfiqar, Faculty of Medicine, Universitas Andalas, Indonesia

Laila Isrona, Faculty of Medicine, Universitas Andalas, Indonesia

3705-3716

 PDF

Profile of Trichoepithelioma Patients at Hospital for the Period of 2016-2021

Fauziah Hannum, Faculty of Medicine, Universitas Andalas, Indonesia

Ennesta Asri, Faculty of Medicine, Universitas Andalas & RSUP Dr. M. Djamil Padang, Indonesia

Muhammad Zulfadli Syahrul, Faculty of Medicine, Universitas Andalas & RSUP Dr. M. Djamil Padang, Indonesia
3717-3724

 PDF

Experiences of Breast Cancer Patients with Acute Skin Toxicity Undergoing Radiotherapy

Nia Mitra Agustin, Faculty of Nursing, Universitas Andalas, Indonesia

Arina Widya Murni, Faculty of Medicine, Universitas Andalas, Indonesia

Emil Huriani, Faculty of Nursing, Universitas Andalas, Indonesia
3725-3734

 PDF

Correlation of Adaptation to the Mental Health Status of Out-Of-Town Students

Dea Margaretha, Faculty of Nursing Universitas Pelita Harapan, Indonesia

Putri Nuryana Hulu, Faculty of Nursing Universitas Pelita Harapan, Indonesia

Remsinar Simbolon, Faculty of Nursing Universitas Pelita Harapan, Indonesia

Shinta Yuliana Hasibuan, Faculty of Nursing Universitas Pelita Harapan, Indonesia

Novita Barus, Faculty of Nursing Universitas Pelita Harapan, Indonesia
3735-3744

 PDF

Description of Blood Pressure and Healthy Lifestyle Behavior among Employees

Glena Dwi Maharani, Faculty of Nursing, Universitas Padjadjaran, Indonesia

Aan Nur'aeni, Faculty of Nursing, Universitas Padjadjaran, Indonesia

Dadang Purnama, Faculty of Nursing, Universitas Padjadjaran, Indonesia
3745-3754

 PDF

Factor Analysis of Knowledge Attitude and Characteristics of Nurses Towards Pain Management

Saadah Hanim, Universitas Sumatera Utara, Indonesia

Siti Saidah Nasution, Universitas Sumatera Utara, Indonesia

Tasrif Hamdi, Universitas Sumatera Utara, Indonesia
3755-3762

 PDF

The Influence of Workload, Burnout, Distress on Nurses' Performance Post Covid-19 Pandemic

Sukma Hapsari, Faculty of Nursing, Universitas Sumatera Utara, Indonesia

Siti Saidah Nasution, Faculty of Nursing, Universitas Sumatera Utara, Indonesia

Siti Khadijah Nasution, Faculty of Nursing, Universitas Sumatera Utara, Indonesia

3763-3772



PDF

Father's Role and Support in Fulfilling Nutrition of Children with Cancer: A Review

Fatma Zulaikha, Universitas Muhammadiyah Kalimantan Timur, Indonesia

Nur Fithriyanti Imamah, Universitas Muhammadiyah Kalimantan Timur, Indonesia

Enok Sureskiarti, Universitas Muhammadiyah Kalimantan Timur, Indonesia

3773-3782



PDF

Incident of Intradialytic Hypertension and Quality of Life in Hemodialysis Patient

Sutra Dewi, RSUP DR M.Djamil Padang, Indonesia

Hidayati Hidayati, RSUP DR M.Djamil Padang, Indonesia

Mulyastuti Mulyastuti, RSUP DR M.Djamil Padang, Indonesia

Disa Hijratul Muharramah, RSUP DR M.Djamil Padang, Indonesia

3783-3790



PDF

Effectiveness of Diabetes Self Management Education on Lifestyle in Type 2 Diabetes Mellitus Patients: A Literature Review

Kurniawan Laia, Faculty of Nursing, Universitas Pelita Harapan, Indonesia

Kezia Triana, Faculty of Nursing, Universitas Pelita Harapan, Indonesia

Lani Watania, Faculty of Nursing, Universitas Pelita Harapan, Indonesia

Heman Pailak, Faculty of Nursing, Universitas Pelita Harapan, Indonesia

3791-3798



PDF

A Descriptive Study of Family Transitional Care for Patients with Cardiovascular Disease

Kezia Wahyudi, Faculty of Nursing, Universitas Pelita Harapan, Indonesia

Bintang Oktavia, Faculty of Nursing, Universitas Pelita Harapan, Indonesia

Greatisa Pea, Faculty of Nursing, Universitas Pelita Harapan, Indonesia

Lani Watania, Faculty of Nursing, Universitas Pelita Harapan, Indonesia

Heman Pailak, Faculty of Nursing, Universitas Pelita Harapan, Indonesia

3799-3806



PDF

The Influence of Web-Based Hospital Nurse Caring Information System Applications as An Effort to Increase Knowledge and Caring Attitudes of Nurses

Any Yuliani, Faculty of Health Sciences, Universitas Jenderal Soedirman, Indonesia

Iwan Purnawan, Faculty of Health Sciences, Universitas Jenderal Soedirman, Indonesia

Suratman Suratman, Faculty of Health Sciences, Universitas Jenderal Soedirman, Indonesia
3807-3816



Implementation of Guided Imagery and Intradialytic Exercise Regular Flexibility on Fatigue of Hemodialysis Patients

Maria Yulianti, Universitas Muhammadiyah Jakarta & Sekolah Tinggi Ilmu Kesehatan Sukabumi, Indonesia
Dhea Natashia, Faculty of Nursing, Universitas Muhammadiyah Jakarta, Indonesia
Dewi Gayatri, Faculty of Nursing, Universitas Indonesia, Indonesia
Diana Irawati, Faculty of Nursing, Universitas Muhammadiyah Jakarta, Indonesia
Wati Jumaiyah, Faculty of Nursing, Universitas Muhammadiyah Jakarta, Indonesia
Tuti Nuraini, Faculty of Nursing, Universitas Indonesia, Indonesia
3817-3824



Birth Assistance and Delivery Methods in the Practice of Early Breastfeeding Initiation at Kasih Fatimah Maternity and Children's Hospital

Rahmini Shabariah, Universitas Muhammadiyah Jakarta, Indonesia
Wira Aditya Potabuga, Universitas Muhammadiyah Jakarta, Indonesia
Farsida Farsida, Universitas Muhammadiyah Jakarta, Indonesia
Rayhana Rayhana, Universitas Muhammadiyah Jakarta, Indonesia
Tri Ariguntar Wikanningtyas, Universitas Muhammadiyah Jakarta, Indonesia
3825-3834



Flail Chest Fracture of Ribs 2-9 with Post-CTT Lung Contusion and Subcutaneous Emphysema: A Case Report

Kalih Sarjono, Faculty of Nursing, Universitas Padjadjaran, Indonesia
Urip Rahayu, Faculty of Nursing, Universitas Padjadjaran, Indonesia
3835-3844



Literature Review: The Effect of Quranic Murottal Therapy on the Quality of Sleep of the Elderly

Afrischa Yusti Nabrita, Universitas Muhammadiyah Surakarta, Indonesia
Agus Sudaryanto, Universitas Muhammadiyah Surakarta, Indonesia
<https://orcid.org/0000-0002-5886-0295>
3845-3852



Weight of Pregnant Women in Deli Serdang Regency: A Qualitative Study

Nur Mala Sari, Universitas Andalas, Indonesia
Nur Indrawaty Lipoeto, Universitas Andalas, Indonesia

Adang Bachtiar, Universitas Indonesia, Indonesia
Ariadi Ariadi, Universitas Andalas, Indonesia
Rizanda Machmud, Universitas Andalas, Indonesia
Defrin Defrin, Universitas Andalas, Indonesia
Mudjiran Mudjiran, Universitas Negeri Padang, Indonesia
Delmi Sulastri, Universitas Andalas, Indonesia
3843-3856



PDF

Characteristics of Caregivers Caring for Elderly People with Dementia

Syapri Pardiansah, Universitas Andalas, Indonesia
Rika Sabri, Universitas Andalas, Indonesia
Tasman Tasman, Politeknik Kesehatan Kementerian Kesehatan Padang, Indonesia
3857-3864



PDF

An Overview of Early Detection of Mental Health using SRQ 20 among Hospital Health Workers

Rokhmayanti Rokhmayanti, Universitas Ahmad Dahlan, Indonesia
Widea Rossi Desvita, Universitas Ahmad Dahlan, Indonesia
Siti Kurnia Widi Hastuti, Universitas Ahmad Dahlan, Indonesia
Fardhiasih Dwi Astuti, Universitas Ahmad Dahlan, Indonesia
Rena Anjeli Wibowo, Universitas Ahmad Dahlan, Indonesia
Pradisa Ryan Sukmatama, Universitas Ahmad Dahlan, Indonesia
Muhammad Ali Fikri, Universitas Ahmad Dahlan, Indonesia
3865-3874



PDF

Psychological Experiences of Sifon for Women in Timor Island

Maria Syelvrida Tumina, Rumah Sakit Umum Daerah Prof.Dr.WZ Johannes-Kupang, Indonesia
Sri Yona, Universitas Indonesia, Indonesia
Agung Waluyo, Universitas Indonesia, Indonesia
Eusabius Separera Niron, Universitas Katolik Widya Mandira, Indonesia
3875-3886



PDF

The Effectiveness of Giving Sutarma Nutritious Drink "Date Tarap Milk" on Increasing Upper Arm Circumference of Pregnant Women

Ika Yulianti, Universitas Kalimantan Tarakan, Indonesia
Maria Ulfanti Uhle Lewuk, Universitas Kalimantan Tarakan, Indonesia
Ririn Ariyanti, Universitas Kalimantan Tarakan, Indonesia
Doris Noviani, Universitas Kalimantan Tarakan, Indonesia
Idha Farahdiba, Universitas Kalimantan Tarakan, Indonesia
3887-3896

[PDF](#)

The Effect of A Combination of Prenatal Yoga, Relaxation Music, and Agarwood Aromatherapy on Anxiety of Pregnant Women in the Third Trimester

Aprilia Kharisma Yogi, Universitas Kalimantan Tarakan, Indonesia

Ika Yulianti, Universitas Kalimantan Tarakan, Indonesia

Rusmiati Rusmiati, Universitas Kalimantan Tarakan, Indonesia

Rahmi Padlilah, Universitas Kalimantan Tarakan, Indonesia

Doris Noviani, Universitas Kalimantan Tarakan, Indonesia

3897-3904

[PDF](#)

A Simple Protocol for Managing Post-Operative Urinary Retention (POUR): An Experience and Evidence

Edy Fakhrial, Universitas Riau & RSUD Arifin Achmad, Indonesia

Sri Wahyu Maryuni, Universitas Riau & RSUD Arifin Achmad, Indonesia

Hamka Koerslo, Universitas Riau & RSUD Arifin Achmad, Indonesia

Dhini Aiyulie Novri, Universitas Riau & RSUD Arifin Achmad, Indonesia

Dika Putra Yuda, Universitas Riau & RSUD Arifin Achmad, Indonesia

3905-3910

[PDF](#)

The Relationship of Supervision with Nurses' Hand Hygiene Compliance

Minnatun Khasha, STIKES Advaita Medika Tabanan, Indonesia

Meri Anggryni, STIKES Advaita Medika Tabanan, Indonesia

Yersi Ahzani, STIKES Advaita Medika Tabanan, Indonesia

Ni Luh Seri Astuti, STIKES Advaita Medika Tabanan, Indonesia

3911-3920

[PDF](#)

Pursed Lip Breathing Exercises and Diaphragmatic Breathing Exercises in Increasing Forced Vital Capacity and First Second Expiratory Volume (VEF1) in Post Covid-19 Patients

Muhammad Henrie Irawan, Institut Ilmu Kesehatan STRADA Indonesia, Indonesia

Yuly Persitiowati, Institut Ilmu Kesehatan STRADA Indonesia, Indonesia

Agustin Agustin, Institut Ilmu Kesehatan STRADA Indonesia, Indonesia

3921-3938

[PDF](#)

Analysis of Leadership Correlation on Performance-Based Capitation Achievement of Puskesmas

Juniarti Juniarti, Universitas Sriwijaya, Indonesia

Misnaniarti Misnaniarti, Universitas Sriwijaya, Indonesia

Yuanita Windusari, Universitas Sriwijaya, Indonesia

3939-3946

 PDF

Interventions to Improve Self-Management in HIV/AIDS Patients: A Scoping Review

Sevana Christina Mayaut, Universitas Diponegoro, Indonesia

Untung Sujianto, Universitas Diponegoro, Indonesia

Muchlis Achsan Udji, Universitas Diponegoro, Indonesia

3947-3954

 PDF

Development of Children Under 5 Years of Age Living on Landfill Sites and Their Environmental Sanitation Conditions

Kadek Ayu Erika, Universitas Hasanudin, Indonesia

Aprilia Dwi Aryanti, Universitas Hasanudin, Indonesia

Suni Hariati, Universitas Hasanudin, Indonesia

3855-3964

 PDF

The Effectiveness of Quarter Prone Position on Status Hemodynamics and Sleep Duration of Premature Infants

Mursiah Mursiah, RSUD Kota Tangerang & Universitas Muhammadiyah Jakarta, Indonesia

Nyimas Heny Purwati, Universitas Muhammadiyah Jakarta, Indonesia

Anita Apriliawati, Universitas Muhammadiyah Jakarta, Indonesia

Awaliah Awaliah, Universitas Muhammadiyah Jakarta, Indonesia

3965-3970

 PDF

Risk Factors Influencing the Occurrence of Urinary Tract Infections in Inpatients

Ardiana Ardiana, Universitas Sumatera Utara, Indonesia

Syah Mirsya Warli, Universitas Sumatera Utara, Indonesia

Kiking Ritarwan, Universitas Sumatera Utara, Indonesia

R. Lia Kusumawati, Universitas Sumatera Utara, Indonesia

Juliandi Harahap, Universitas Sumatera Utara, Indonesia

3971-3980

 PDF

The Effect of Diabetes Mellitus Foot Exercises on the Stability of Blood Sugar Levels in Patients with Diabetes Mellitus: A Literature Review

Putri Intan Miladiana, Universitas Muhammadiyah Surakarta, Indonesia

Fahrhun Nur Rosyid, Universitas Muhammadiyah Surakarta, Indonesia

3981-3988

 PDF

The Relationship Between Caring Pediatric Nurses and The Level of Satisfaction of Parents of Patients at Inpatient Ward PKIA

Dina Novenda Sari, Rumah Sakit Umum Pusat Nasional Dr. Cipto Mangunkusumo, Indonesia

Endah Dessirya, Rumah Sakit Umum Pusat Nasional Dr. Cipto Mangunkusumo, Indonesia

Mustaqimah Mustaqimah, Rumah Sakit Umum Pusat Nasional Dr. Cipto Mangunkusumo, Indonesia

Rusana Rusana, Universitas Al-Irsyad Cilacap, Indonesia

Dewi Rezeki, Rumah Sakit Umum Pusat Nasional Dr. Cipto Mangunkusumo, Indonesia

Erlin Fitria Yusliana, Rumah Sakit Umum Pusat Nasional Dr. Cipto Mangunkusumo, Indonesia

3889-3896



PDF

The Relationship between Injectable Contraception and Body Mass Index (BMI) and Amenorrhea

Ayu Nina Mirania, Universitas Katolik Musi Charitas, Indonesia

Stephanie Lexy Louis, Universitas Katolik Musi Charitas, Indonesia

Evi Yuniarti, Universitas Katolik Musi Charitas, Indonesia

3997-4004



PDF

Analysis of Factors in Pregnant Women on the Incidence of Preeclampsia

Anjelina Puspita Sari, Universitas Katolik Musi Charitas, Indonesia

Romlah Romlah, Universitas Katolik Musi Charitas, Indonesia

Titin Dewi Sartika Silaban, Universitas Katolik Musi Charitas, Indonesia

Titin Dewi Sartika Silaban, Universitas Katolik Musi Charitas, Indonesia

4005-4012



PDF

Identification of Problems and Needs of Family Members Caring for People with Mental Disorders (ODGJ)

Sandiva Nur Adeni, Universitas Muhammadiyah Semarang, Indonesia

Mohammad Fatkhul Mubin, Universitas Muhammadiyah Semarang, Indonesia

Bintang Tatius Nasrullah, Universitas Muhammadiyah Semarang, Indonesia

Ratih Widayati, Universitas Muhammadiyah Semarang, Indonesia

4013-4020



PDF

Literature Review: The Effect of Mindfulness Therapy on Reducing Anxiety Levels in The Elderly

Alfira Rahma Dhani, Universitas Muhammadiyah Surakarta, Indonesia

Agus Sudaryanto, Universitas Muhammadiyah Surakarta, Indonesia

4021-4028



PDF

The Effect of Mother Voice Toward Baby Weight and Duration of Deep Sleep Among Premature

Infant

Anatusia Fitriana, Universitas Muhammadiyah Jakarta, Indonesia

Nyimas Heny, Universitas Muhammadiyah Jakarta, Indonesia

Resi Putri Naulia, Sekolah Tinggi Ilmu Kesehatan Estu Utomo, Indonesia

4029-4034



PDF

Mobile Health for Adherence to Antiretroviral Therapy in HIV-AIDS: A Systematic Review

Alandia Alandia, Universitas Indonesia, Indonesia

Sri Yona, Universitas Indonesia, Indonesia

4035-4046



PDF

Comparison of Reduction in Physical Discomfort Score for Pregnant Women who Attended Prenatal Yoga for 30, 45 And 60 Minutes

Zelita Viana, Internasional Citra Institute, Indonesia

Dyah Retnoningrum, Internasional Citra Institute, Indonesia

Siti Patimah, Internasional Citra Institute, Indonesia

4047-4056



PDF

The Effect of Health Education using Animated Videos on Elementary School Girls' Behavior in Facing Menarche

Vivi Wirmalinda, Universitas Andalas, Indonesia

Lili Fajria, Universitas Andalas, Indonesia

Mahathir Mahathir, Universitas Andalas, Indonesia

4057-4064



PDF

The Effect of Integrated Education on the Knowledge of Hemodialysis Patients

Apriria EP, Universitas Andalas, Indonesia

Reni Prima Gusty, Universitas Andalas, Indonesia

Devia Putri Lenggogeni, Universitas Andalas, Indonesia

4065-4074



PDF

Nurses' Role in the Discharge Planning Implementation on Family Readiness Caring for Patients at Home

Jesy Natalia Ginting, Faculty of Nursing, Universitas Sumatera Utara, Indonesia

Siti Saidah Nasution, Faculty of Nursing, Universitas Sumatera Utara, Indonesia

Evi Karota Bukit, Faculty of Nursing, Universitas Sumatera Utara, Indonesia

4075-4082

 PDF

Incidence of Post-Dural Puncture Headache in Post-Caesarean Section Patients with Spinal Anesthesia

Roro Lintang Suryani, Universitas Harapan Bangsa, Indonesia

Khoffah Tresno Putri, Universitas Harapan Bangsa, Indonesia

Dwi Novitasari, Universitas Harapan Bangsa, Indonesia

4083-4088

 PDF

Policy Analysis On Exclusive Breastfeeding for Informal Workers in Traditional Markets in North Sumatra

Peny Ariani, Universitas Andalas & Institut Kesehatan Deli Husada Deli Tua, Indonesia

Nur Indrawaty Lipoeto, Universitas Andalas, Indonesia

Eva Chundrayetti, Universitas Andalas, Indonesia

Hema Malini, Universitas Andalas, Indonesia

Adang Bachtiar, Universitas Indonesia, Indonesia

Delmi Sulastri, Universitas Andalas, Indonesia

Mayetti Mayetti, Universitas Andalas, Indonesia

Meri Neherta, Universitas Andalas, Indonesia

4089-4096

 PDF

Effectiveness of Banana Leaves (*Musa Paradisiaca* L) as A Bandage for Healing Diabetes Wounds

Hengky Simamora, Universitas Sumatera Utara, Indonesia

Dudut Tanjung, Universitas Sumatera Utara, Indonesia

Yuandani Yuandani, Universitas Sumatera Utara, Indonesia

4097-4104

 PDF

Management of Cutaneous Wounds with Herbal Essential Oils

Linda Julianti Wijayadi, Tarumanagara University, Indonesia

Kelvin Kelvin, Tarumanagara University, Indonesia

Evan Dionesia Gravianto, Jenderal Soedirman University, Indonesia

Fransisca Nathalia Cindy Kartawijaya, Tarumanagara University, Indonesia

4105-4118

 PDF

Effectiveness of Role-Playing Method in Improving Elementary School Children's Knowledge about DHF Prevention in South Balikpapan

Zidni Ilman Nafi'a, Universitas Muhammadiyah Surakarta, Indonesia

Siti Arifah, Universitas Muhammadiyah Surakarta, Indonesia

4119-4124

 PDF

The Effect of Murotal Therapy and Environmental Therapy on the Behavior of Hallucination Patients in Rehabilitation

Bayu Seto Rindi Atmojo, Sekolah Tinggi Ilmu Kesehatan Pemkab Purworejo, Indonesia

Eko Riyanti, Sekolah Tinggi Ilmu Kesehatan Pemkab Purworejo, Indonesia

4125-4130

 PDF

The Effect of Family Empowerment in Preventing Stunting: Systematic Literature Review

Suprihatin Suprihatin, Poltekkes Kemenkes Semarang, Indonesia

Runjati Runjati, Poltekkes Kemenkes Semarang, Indonesia

Arwani Arwani, Poltekkes Kemenkes Semarang, Indonesia

4131-4138

 PDF

Sexual Health Education Based on the Theory of Planned Behavior to Prevent Risky Sexual Behavior in Adolescents: A Systematic Review

Stephani Dwiyanita Putri, Universitas Airlangga, Indonesia

Shrimarti Rukmini Devy, Universitas Airlangga, Indonesia

<https://orcid.org/0000-0002-7417-1078>

Ira Nurmalita, Universitas Airlangga, Indonesia

<https://orcid.org/0000-0001-6930-8204>

Andi Safutra Surya, Universitas Airlangga & Research Centre of Advancing Community Healthcare- REACH, Indonesia

<https://orcid.org/0009-0008-5411-0287>

4139-4148

 PDF

Healthcare Attitude Towards Using Electronic Medical Records: Meta Analysis

Andry Rachmadani, Polytechnic of Borneo Medistra, Indonesia

Heni Elmiani Sari, Polytechnic of Borneo Medistra, Indonesia

Ghandys Freecyia, Polytechnic of Borneo Medistra, Indonesia

4149-4158

 PDF

Retrograde Insertion of An Antegrade Intramedullary Femoral Nail for Treatment of A Pathological Femoral Shaft Fracture in A Patient with Metastatic Bone Disease

Kevin Kusuman, Udayana University, Indonesia

I Gede Eka Wiratnaya, Udayana University, Indonesia

4159-4166

 PDF

Overview of Religiosity of Intensive Care Unit Nurses: A Narrative Review

Irfandi Rahman, Universitas Padjadjaran, Indonesia

<https://orcid.org/0000-0002-8556-132X>

Anastasia Anna, Universitas Padjadjaran, Indonesia

<https://orcid.org/0000-0001-8824-7400>

Aan Nuraeni, Universitas Padjadjaran, Indonesia

<https://orcid.org/0000-0003-1466-7394>

4167-4176



[Editorial Team](#)

[Peer-Reviewers](#)

[Peer Review Process](#)

[Publication Frequency](#)

[Focus and Scope](#)

[Author Guidelines](#)

[Open Access Policy](#)

[Publication Ethics](#)

[Author Fee](#)

[Abstracting & Indexing](#)

[Contact](#)

Select Language

SK Akreditasi: 211_Salinan 152_E_KPT_2023



Indexed by:





MANAGEMENT OF CUTANEOUS WOUNDS WITH HERBAL ESSENTIAL OILS

Linda Julianti Wijayadi¹, Kelvin², Evan Dionesia Gravianto³, Fransisca Nathalia Cindy Kartawijaya²

¹Department of DermatoVenereology, Faculty of Medicine, Tarumanagara University, Jl. Taman S. Parman No.1, Tomang, Grogol Petamburan, Jakarta Barat, Jakarta 11440, Indonesia

²Faculty of Medicine, Tarumanagara University, Jl. Taman S. Parman No.1, Tomang, Grogol Petamburan, Jakarta Barat, Jakarta 11440, Indonesia

³Faculty of Medicine, Jenderal Soedirman University, Jl. Dr. Gumbreg No.1, Mersi, Purwokerto Kidul, Purwokerto Selatan, Banyumas, Central Java 53147, Indonesia

*lindajuliantiwijayadi@gmail.com

ABSTRACT

In order to improve the effectiveness of cutaneous wound healing, various efforts have been made. Multiresistant bacteria are one of the challenges of wound healing treatment. Herbal essential oil is one of the alternatives that can be used, because of its broad-spectrum antimicrobial effects. The purpose of this literature review is to discuss in more depth the role of herbal essential oils in wound healing. Articles were retrieved from several databases such as Google Scholar, Scencedirect, Cochrane, and Pubmed. Articles were searched using predetermined keywords, which were then screened from 2014-2024, resulting in 11 articles that met the inclusion criteria. The herbal essential oils discussed, namely immortelle essential oil, lavender essential oil, tea tree essential oil, chamomile essential oil, calendula essential oil, and castor essential oil, have been shown to be significantly beneficial in wound healing in studies on mice. The herbal essential oils are expected to be an alternative treatment in wound healing, especially in humans.

Keywords: cutaneous; herbal essential oil; multiresistant bacteria; wound healing

| | | |
|--|----------------------------------|--------------------------------------|
| First Received 28 July 2024 | Revised 18 August 2024 | Accepted 15 September 2024 |
| Final Proof Received 09 October 2024 | | Published 01 December 2024 |
| How to cite (in APA style) Wijayadi, L., Kelvin, K., Gravianto, E. D., & Kartawijaya, F. N. C. (2024). Management of Cutaneous Wounds with Herbal Essential Oils. <i>Indonesian Journal of Global Health Research</i> , 6(6), 4105-4118. https://doi.org/10.37287/ijghr.v6i6.4323 . | | |

INTRODUCTION

In everyday life, we must have experienced cutaneous wounds. As a physical barrier from pathogens, the cutaneous is responsible for the occurrence of wounds (de Assis et al., 2020). Wounds are cellular or anatomical discontinuities that occur as a result of internal trauma or external trauma caused by mechanical, chemical, or physical agents. While wound healing is a natural reaction of the body that is formed as a tissue response to trauma. The effectiveness of wound healing is influenced by many factors. Factors such as diabetes, hypertension, aging, malnutrition, radiation, and drug use are associated with impaired cutaneous capacity, thereby delaying wound healing. Wound healing itself consists of several phases, including hemostasis, inflammation, proliferation, and maturation (Andjić et al., 2022; Valizadeh et al., 2020).

In improving the effectiveness of the wound healing process, various treatment methods are focused on such as increasing topical antimicrobial activity, preventing infection, encouraging tissue regeneration, and minimizing pain, discomfort, and scar formation. However, in recent decades, the presence of multiresistant bacteria has caused challenges in choosing the right treatment for patients with infections. Many other alternative treatments can be done, one of

which is with herbal essential oils (Mahboubi et al., 2018; Saporito et al., 2018). This herbal essential oils certainly contains several natural products such as triterpenes, alkaloids, and flavonoids that function to promote the wound healing process. Its content also has antimicrobial effects, especially against multiresistant bacteria, because of its broad spectrum of biological and antimicrobial activity (Saporito et al., 2018; Valizadeh et al., 2020). Several types of herbal essential oils have been widely studied regarding their effects on wound healing, such as immortelle essential oil, lavender essential oil, tea tree essential oil, chamomile essential oil, calendula essential oil, and castor essential oil. This literature review aims to discuss more deeply the role of these oils in wound healing.

METHOD

All articles were taken from various databases such as Google Scholar, Sciencedirect, Cochrane, and Pubmed. From these databases, the keywords used were ("herbal oil" OR "essential oil") AND ("cutaneous wound" OR "wound healing") AND ("management" OR "therapy"), which were then filtered with inclusion criteria, namely in English, publication period in the last 10 years (from 2014-2024), relevant to the topic, discuss about the herbal oil that has been determined (immortelle essential oil, or lavender essential oil, or tea tree essential oil, or chamomile essential oil, or calendula essential oil, or castor essential oil), and can be opened in full text. After filtering, 11 eligible articles were obtained, which were used as sources for this literature review, as in Figure 1.




Figure 1. Article Screening Flow

RESULTS

Table 1.
The Characteristics of Herbal Oils in Wound Healing

| No | Oil Name | Researcher Name | The Role of Wound Healing |
|----|---|---|--|
| 1 | Immortelle Essential Oil (Helichrysum italicum) | Andi <i>et al.</i> Serra <i>et al.</i> | Administration in the form of gel and ointment for 21 days in mice showed significant results on wound contraction or closure, which were 98.75% and 98.33%. This is because this oil increases collagen deposition, accelerates epithelialization and increases wound contraction by working on matrix deposition. |
| 2 | Lavender Essential Oil (Lavandula angustifolia) | Mori <i>et al.</i> Tepe <i>et al.</i> | The application of this essential oil to wounds in mice for 14 days showed a significant decrease in the wound area from day 4, this is because this oil significantly increased the synthesis of Type I and Type III collagen, TGF-β expression, and the number of myofibroblasts. In line with other studies in mice that showed significant results on days 4, 6, 8, and 10 after wound incision (p <0.01 for untreated and control; on day 10: p <0.05 for untreated and control). |

| No | Oil Name | Researcher Name | The Role of Wound Healing |
|----|---|--|---|
| 3 | Tea Tree Essential Oil (Melaleuca alternifolia) | by Assis <i>et al.</i> Nova <i>et al.</i> | The bicontinuous microemulsion formulation of 1% and 3.45% <i>M. alternifolia</i> oil on rat wounds showed complete healing after 11 days. This is in line with other studies using hydrogels containing 1% <i>M. alternifolia</i> oil that can reduce the growth of <i>Staphylococcus aureus</i> ATCC 6538 and accelerate wound healing in infected rats significantly (p<0.05). |
| 4 | Chamomile Essential Oil (Matricaria chamomila) | Niknam <i>et al.</i> Gad <i>et al.</i> | Topical ointment of chamomile flower extract with 10% concentration showed 96.27% healing of rat wounds on day 14. This is in line with other studies using solid lipid nanoparticles cream containing chamomile essential oil which has been shown to accelerate the percentage of wound healing activity in rats, reaching 96% on day 16. |
| 5 | Calendula Essential Oil (Calendula officinalis) | Okuma <i>et al.</i> Ashwlayan <i>et al.</i> | The administration of calendula essential oil with or without lamellar gel phase emulsion to wounds in mice experienced complete re-epithelialization on day 14. This is in line with other studies that showed a significant reduction in the total wound area of mice in the test (41.71%) when compared to the control (14.52%). |
| 6 | Castor Essential Oil (Ricinus communis) | Sharma <i>et al.</i> | Administration of a formulation containing 25% castor essential oil and a mixture of other ingredients to rat wounds showed a significant reduction in wound area with a p value <0.001 compared to the control group. |

DISCUSSION

The cutaneous is one of the largest organs in the body, one of its functions is to act as a physical barrier against pathogens. Any damage that occurs to the cutaneous due to physical, chemical, or thermal injury causes wound formation and can cause infection (de Assis *et al.*, 2020). A wound itself is a cellular or anatomical discontinuity that occurs as a result of internal trauma or external trauma caused by mechanical, chemical, or physical agents. Wounds themselves are divided into 2 types, namely closed wounds and open wounds. In closed wounds, damaged tissue is not exposed to the outside environment. With open wounds, the body's surface barrier has been damaged, allowing foreign objects (such as contamination) to enter the tissue and cause further problems in the healing process (Andjić *et al.*, 2022; Valizadeh *et al.*, 2020).

Several phases occur in the wound healing process. Each phase of healing involves a series of cells and biochemical processes mediated by various growth factors, cytokines and enzymes. The hemostasis phase is the initial phase in wound healing that lasts only a few seconds to minutes and is very important to control bleeding after injury. The inflammation phase is the second phase, characterized by sequential infiltration of neutrophils, macrophages and lymphocytes. Prolonged inflammation can worsen scarring and delay wound healing. Interleukins (IL) are known to modulate the wound healing process, especially IL-6 in the early phase of inflammation and inflammatory response. An inflammatory cytokine called tumor necrosis factor- α (TNF- α), participates in the main stage of inflammation, while IL-1 β calls neutrophils to the site of infection (Andjić *et al.*, 2022; Khezri *et al.*, 2019). Next, it enters the proliferation phase which is characterized by the development of granulation tissue, mainly driven by fibroblasts and the angiogenesis process. The final phase of wound healing, namely the maturation phase, begins 2-3 weeks after tissue injury and during this period, the formation of granulation tissue tips and collagen remodeling occurs (Andjić *et al.*, 2022).

In the 1960s, wound care was performed by Dr. Jean Valnet using herbal essential oils such as lemon, clove, and chamomile essential oils (TEPE et al., 2024). Herbal essential oils have long been used for therapeutic purposes. Many studies have been conducted on various types of herbal essential oils and their chemical compounds. Most of them have antinociceptive, fungicidal, antioxidant, antitumor properties, and play a role in wound healing (Nadjib Boukhatem et al., 2021). The use of herbal medicines has long been used in traditional Chinese medicine, Ayurveda, Unani, Russian herbal medicine, and other medical systems to treat wounds and other skin conditions topically. The increased likelihood of unsuccessful treatment and recurrent infections is associated with persistent antimicrobial resistance. As a result, they play a significant role in increasing mortality rates, which increases health care costs (Shedoeva et al., 2019). Wounds have become a category in the National Institutes of Health Research Portfolio Online Reporting Tool, due to rising health care costs, an aging population, increasing awareness of the dangers of difficult-to-treat infections, and the worldwide prevalence of diabetes and obesity (Sen, 2019). Implementation of measures designed to reduce the development of antibiotic resistance and the spread of resistant bacteria must be enforced. Thus, for many years, plant-based medicines have been used to treat various medical disorders such as wounds and other skin disorders (Hoffmann et al., 2020; Thomford et al., 2018). In this literature review, several types of herbal essential oils that have been proven effective in wound healing have been described, as follows:

1. Immortelle Essential Oil (*Helichrysum italicum*)

This plant belongs to the Asteraceae family called immortelle, curry plant or perennial sandy plant because its flowers are bright yellow and do not fade. Various benefits of the plant with the Latin name *Helichrysum italicum* have been widely studied, such as antimicrobial, anti-inflammatory and antioxidant properties. In traditional medicine it has been widely used in the treatment of wounds, hematomas, or scars. Research conducted by Andjić *et al.* in mice showed that wound treatment with this oil in the form of gel and ointment for 21 days gave significant results on wound contraction or closure, which were 98.75% and 98.33%, as can be seen in Figure 2 (Andjić, Božin, Draginić, Kočović, Jeremić, Tomović, Milojević Šamanović, et al., 2021). This is in line with research conducted on skin stem cells (SSCs) and fibroblasts (HFF1) by Serra *et al.* which proved that this oil increases collagen deposition, accelerates epithelialization and increases wound contraction by working on matrix deposition (Serra et al., 2024). The effects of this oil cannot be separated from the content of its metabolite compounds. Neryl acetate and pinene have benefits in wound healing. Neryl acetate plays a role in the function of the cutaneous barrier by increasing the lipid and ceramide content in the stratum corneum by increasing the expression of enzymes related to ceramide synthesis in the glucosylceramide pathway. These two compounds will increase keratinocyte differentiation, cell cohesion and the formation of the cornified sheath, thus facilitating wound healing in the epidermis. While pinene plays a role in collagen deposition so as to produce scar tissue with effective tensile strength (Andjić, Božin, Draginić, Kočović, Jeremić, Tomović, Šamanović, et al., 2021; Lemaire et al., 2022). In addition, this oil can also control the function of macrophages which is one of the most challenging tasks during tissue repair and regeneration. Macrophages (M ϕ) are dynamic cells that are in the first line of defense against invading pathogens, where they act as effectors of the immune response (Genčić et al., 2021).




Figure 2. Wound healing process in six treatment groups from day 0-21 (Andjić, Božin, Draginić, Kočović, Jeremić, Tomović, Milojević Šamanović, et al., 2021)

Information :

CTRL = negative control group,

GEL = gel base group,

OINT = ointment base group,

HIEO OINT = *H. italicum* essential oil ointment group,

HIEO GEL = *H. italicum* essential oil gel group,

SSD = 1% silver sulfadiazine group.

2. Lavender Essential Oil (*Lavandula angustifolia*)

Lavender is a flowering plant consisting of more than 20 unique species. The herbal oil of the plant with the Latin name *Lavandula angustifolia* is produced by a secretion structure on the surface of the plant. In 1910, a French chemist applied lavender essential oil to his burned hand after a laboratory accident and reported a rapid healing process. This oil was later used by military doctors in World War II to disinfect and wounds treatment (Samuelson et al., 2020). In a study conducted on mice, by making a full-thickness circular cutaneous wound, *Lavandula angustifolia* essential oil was applied to the wound for 14 days. Approximately 4 days after application, a significant decrease in the wound area was seen. This oil is known to significantly increase Type I and Type III collagen synthesis, TGF- β expression, and the number of myofibroblasts (Mori et al., 2016; TEPE et al., 2024). This is in line with research conducted by Mori *et al.* by making wounds on mice and treating them with lavender essential oil. Wound healing occurred significantly compared to untreated mice (only wound incision was performed) and control mice (wound incision was performed and given control solution containing 0.1% DMSO and Tween 20) on days 4, 6, 8, and 10 after wound incision (on days 4, 6, 8: $p < 0.01$ for untreated and control mice; on day 10: $p < 0.05$ for untreated and control mice) as seen in Figure 3 (Mori et al., 2016). The wound healing effect of this oil cannot be separated from the compounds contained in it, namely biologically active terpenoids, linalool and linalyl acetate (Samuelson et al., 2020). The compound content varies widely, as ecological conditions such as latitude, altitude, temperature, and rainfall can affect the relative amounts of chemicals in the oil depending on

where and when the plant was grown and harvested.




Figure 3. Wound healing process in three treatment groups from day 0-14 (Mori et al., 2016)

3. Tea Tree Essential Oil (*Melaleuca alternifolia*)

Tea tree essential oil, also known by the Latin name *Melaleuca alternifolia*, has been shown to have antimicrobial, antifungal, antioxidant, anti-inflammatory, immunomodulatory properties, and helps in wound healing. It is known that the main active components are terpinen-4-ol, γ -terpinene, and α -terpinene (Han & Parker, 2017). In an in vivo study, it was found that the bicontinuous microemulsion formulation containing *M. alternifolia* essential oil applied to the wound experienced complete healing after 11 days observed in the formulation containing 1% and 3.45% *M. alternifolia* essential oil as in Figure 4 (de Assis et al., 2020). While in another study conducted by Nova *et al.* using a hydrogel containing 1% *M. alternifolia* essential oil was found to reduce the growth of *Staphylococcus aureus* ATCC 6538 both in vitro and in an ex vivo wound model using pig skin. In addition, the evolution of wound size showed that uninfected mice treated with this hydrogel showed a progressive and significant reduction in wound area ($67.67 \pm 25.47\%$) when compared to the infected + PBS (Phosphate Buffer Saline) group ($86.38 \pm 23.38\%$) with $p < 0.05$. Similarly, mice with wounds infected by *S. aureus* treated with this hydrogel ($80.03 \pm 15.33\%$), showed a significant reduction in wound area when compared to the infected + PBS group ($128.3 \pm 17.49\%$) with $p < 0.05$. The average wound area treated with the hydrogel was $96.14 \pm 5.79\%$ (Vila Nova et al., 2024).




Figure 4. Wound healing process in four treatment groups on days 2, 6, 9 and 11 (de Assis et al., 2020)

Information :

G1 = given 200 µg of bicontinuous microemulsion without *M. alternifolia* essential oil,

G2 = given 200 µg of bicontinuous microemulsion with 3.45% *M. alternifolia* essential oil,

G3 = given 200 µg of bicontinuous microemulsion with 1% *M. alternifolia* essential oil,

G4 (positive control) = 200 µg of betamethasone dipropionate cream (0.5 mg/g) and gentamicin sulfate (1.0 mg/g).

4. Chamomile Essential Oil (*Matricaria chamomila*)

Chamomile is a herbal plant that has extensive benefits, especially in skin care. Topical application of plant extract with the Latin name *Matricaria chamomila* has a significant effect in treating various cutaneous diseases (Anis et al., 2021). In a study conducted by Niknam *et al. on mice*, it was shown that the group given topical ointment treatment containing methanol fractions of chamomile flower extract with different concentrations (2.5%, 5% and 10%) showed significant wound healing compared to the control group as seen in Figure 5. Seen on the 14th day, wound healing was 96.27% at a 10% concentrate. This is known because chamomile can stimulate the formation of skin epithelium, fibroblast function and the formation of collagen fibers (Niknam et al., 2021). Its flavonoid content has benefits as an antioxidant and anti-inflammatory by inhibiting the COX-2 pathway (Liu et al., 2022).




Figure 5. Wound healing process in three treatment groups on days 1, 4, 7, 11 and 14 (Liu et al., 2022)

Information :

Group 1 was given a topical ointment containing 2.5% methanol fraction of chamomile flower extract,

Group 2 was given a topical ointment containing methanol fraction and 5% chamomile flower extract,

Group 3 was given a topical ointment containing methanol fraction and 10% chamomile flower extract.

Similar to its flower extract, chamomile essential oil also has anti-inflammatory, antibacterial, antioxidant, and anti-irritation activities, in addition to its occlusive effect as a protective skin barrier, promoting the rate of re-epithelialization and stimulating collagen deposition. In a study conducted by Gad *et al* . on mice, it was found that administration of solid lipid nanoparticles (SLN) cream and regular chamomile essential oil showed a significant reduction in wound area on days 8 and 16, compared to those not treated, as can be seen in Figure 6. SLN cream containing chamomile essential oil was shown to accelerate the percentage of healing activity, reaching 96% on day 16. This formulation produced the lowest percentage of wound area ($p < 0.001$), compared to its control (Gad et al., 2019).




Figure 6. Wound healing process in four treatment groups on days 1, 8 and 16 (Gad et al., 2019)

Information:

Group I: uninjured mice (not in the picture),

- Group II: injured and untreated mice,
- Group III : mice that were injured and given plain SLN topically,
- Group IV: mice that were injured and given chamomile oil cream topically,
- Group V: mice that were injured and given SLN containing chamomile oil topically.

5. Calendula Essential Oil (*Calendula officinalis*)

This plant is a plant from the Asteraceae family with the Latin name *Calendula officinalis* which is commonly used as medicine in Europe, China, the United States, and India. This plant, also known as "English Marigold" or "Pot Marigold", is known to have many secondary metabolites, especially triterpenoids, flavonoids, coumarins, quinones and carotenoids. In particular, triterpenoids are reported as anti-inflammatory and anti-edema compounds as well as fibroblast stimulation effects (Ashwlayan et al., 2018; Givol et al., 2019). In a study using lamellar gel phase emulsion with calendula essential oil, which was divided into 4 groups, it was seen that the calendula essential oil group with and without lamellar gel phase emulsion experienced complete re-epithelialization on the 14th day, unlike the group without calendula essential oil, as can be seen in Figure 7. This is also supported by the histological picture which shows a significant increase in collagenesis ($p < 0.05$) on the 14th day in the group containing calendula essential oil compared to the group without (Okuma et al., 2015). This is in line with other studies that reported a significant reduction in total wound area in the test compared to the control ($p < 0.05$), which was 41.71% in the test group and 14.52% in the control group (Ashwlayan et al., 2018).




Figure 7. Wound healing process on days 0, 2, 7, 14 and 21 (Okuma et al., 2015)

Information:

- LGP group: lamellar gel phase emulsion with calendula essential oil,
- CAL group: calendula essential oil only (does not contain lamellar gel phase emulsion),
- GEL group: only lamellar gel phase emulsions,
- CONTROL group: no lamellar gel phase emulsion and no calendula essential oil.

6. Castor Essential Oil (*Ricinus communis*)

This plant, which belongs to the Euphorbiaceae family, is commonly known as castor. This plant is grown worldwide in commercial quantities for the production of castor essential oil which is rich in ricinoleic acid (the seeds contain about 40% oil). The oil is a thick liquid that

is colorless or slightly yellow, and almost odorless (Okafo et al., 2024). Castor essential oil contains palmitic acid (1%), palmitoleic acid (0.1%), oleic acid (3.2%), linoleic acid (4.7%), ricinoleic acid (90%), and stearic acid (1%). This oil is known to reduce lipid peroxidation and act as an antioxidant such as increasing collagen fibril viability, collagen fiber strength, increasing blood circulation, DNA synthesis and preventing cell damage (Abomughaid et al., 2024). This has been proven in many studies, one of which is in the study of Sharma *et al.* in mice, which showed a significant decrease in wound area with a p value <0.001 in the control group compared to the group given a formulation containing 25% castor essential oil and a mixture of other ingredients, namely on the 2nd day of healing of 17.30 ± 0.14 to 13.84 ± 0.14 mm² and a percentage reduction of 35.21 ± 0.49 compared to 6.08 ± 0.15 to 2.11 ± 0.09 mm² and 58.19 ± 0.44 , which then on the 6th day obtained a percentage reduction of 69.57 ± 0.61 compared to 89.07 ± 0.50 , and increased to 99% in the treatment group on the 9th day, as shown in Figure 8 (Sharma et al., 2020).




Figure 8. Wound healing process in two treatment groups on days 0 to 9 (Sharma et al., 2020)

CONCLUSION

Various studies on herbal essential oils for wound healing have been conducted. Wound healing itself consists of four phases, each of which involves a series of cells and biochemical processes mediated by various growth factors, cytokines and enzymes. Several herbal essential oils discussed in this literature review have been shown to have significant results on wound healing. However, the research used in this literature review is limited to animal studies and there are still many other herbal essential oils that have not been discussed. It is hoped that in the future, this literature review can be a reference in larger-scale research and can make herbal oils an alternative in healing cutaneous human wounds.

REFERENCES

- Abomughaid, M. M., Teibo, J. O., Akinfe, O. A., Adewolu, A. M., Teibo, T. K. A., Afifi, M., Al-Farga, A. M. H., Al-kuraishy, H. M., Al-Gareeb, A. I., Alexiou, A., Papadakis, M., & Batiha, G. E. S. (2024). A phytochemical and pharmacological review of *Ricinus communis* L. *Discover Applied Sciences*, 6(6). <https://doi.org/10.1007/s42452-024-05964-5>
- Andjić, M., Božin, B., Draginić, N., Kočović, A., Jeremić, J. N., Tomović, M., Milojević Šamanović, A., Kladar, N., Čapo, I., Jakovljević, V., & Bradić, J. V. (2021). Formulation and Evaluation of *Helichrysum italicum* Essential Oil-Based Topical Formulations for Wound Healing in Diabetic Rats. *Pharmaceuticals (Basel, Switzerland)*, 14(8). <https://doi.org/10.3390/ph14080813>

- Andjić, M., Božin, B., Draginić, N., Kočović, A., Jeremić, J. N., Tomović, M., Šamanović, A. M., Kladar, N., Čapo, I., Jakovljević, V., & Bradić, J. V. (2021). Formulation and evaluation of helichrysum italicum essential oil-based topical formulations for wound healing in diabetic rats. *Pharmaceuticals*, 14(8). <https://doi.org/10.3390/ph14080813>
- Andjić, M., Draginić, N., Kočović, A., Jeremić, J., Vučićević, K., Jeremić, N., Krstonošić, V., Božin, B., Kladar, N., Čapo, I., Andrijević, L., Pecarski, D., Bolevich, S., Jakovljević, V., & Bradić, J. (2022). Immortelle essential oil-based ointment improves wound healing in a diabetic rat model. *Biomedicine & Pharmacotherapy = Biomedecine & Pharmacotherapie*, 150, 112941. <https://doi.org/10.1016/j.biopha.2022.112941>
- Anis, A., Sharshar, A., Hanbally, S. El, & Sadek, Y. (2021). A Novel Organic Composite Accelerates Wound Healing: Experimental and Clinical Study in Equine. *Journal of Equine Veterinary Science*, 99, 103406. <https://doi.org/10.1016/j.jevs.2021.103406>
- Ashwlayan, V. D., Kumar, A., Verma, M., Garg, V. K., & Gupta, S. (2018). Therapeutic Potential of Calendula officinalis. *Pharmacy & Pharmacology International Journal*, 6(2). <https://doi.org/10.15406/ppij.2018.06.00171>
- de Assis, K. M. A., da Silva Leite, J. M., de Melo, D. F., Borges, J. C., Santana, L. M. B., dos Reis, M. M. L., Moreira, V. M., da Rocha, W. R. V., Catão, R. M. R., dos Santos, S. G., da Silva Portela, A., de Sousa Silva, S. M., de Oliveira, T. K. B., de Souza da Silveira, J. W., Pires, E. G., Nonaka, C. F. W., Sanches, F. A. C., & de Lima Damasceno, B. P. G. (2020). Bicontinuous microemulsions containing Melaleuca alternifolia essential oil as a therapeutic agent for cutaneous wound healing. *Drug Delivery and Translational Research*, 10(6), 1748–1763. <https://doi.org/10.1007/s13346-020-00850-0>
- Gad, H. A., Abd El-Rahman, F. A. A., & Hamdy, G. M. (2019). Chamomile oil loaded solid lipid nanoparticles: A naturally formulated remedy to enhance the wound healing. *Journal of Drug Delivery Science and Technology*, 50(October 2018), 329–338. <https://doi.org/10.1016/j.jddst.2019.01.008>
- Genčić, M. S., Aksić, J. M., Živković Stošić, M. Z., Randjelović, P. J., Stojanović, N. M., Stojanović-Radić, Z. Z., & Radulović, N. S. (2021). Linking the antimicrobial and anti-inflammatory effects of immortelle essential oil with its chemical composition – The interplay between the major and minor constituents. *Food and Chemical Toxicology*, 158. <https://doi.org/10.1016/j.fct.2021.112666>
- Givol, O., Kornhaber, R., Visentin, D., Cleary, M., Haik, J., & Harats, M. (2019). A systematic review of Calendula officinalis extract for wound healing. *Wound Repair and Regeneration*, 27(5), 548–561. <https://doi.org/10.1111/wrr.12737>
- Han, X., & Parker, T. L. (2017). Melaleuca (Melaleuca alternifolia) essential oil demonstrates tissue-remodeling and metabolism-modulating activities in human skin cells . *Cogent Biology*, 3(1), 1318476. <https://doi.org/10.1080/23312025.2017.1318476>
- Hoffmann, J., Gendrisch, F., Schempp, C. M., & Wölflle, U. (2020). New herbal biomedicines for the topical treatment of dermatological disorders. *Biomedicines*, 8(2). <https://doi.org/10.3390/biomedicines8020027>
- Khezri, K., Farahpour, M. R., & Mounesi Rad, S. (2019). Accelerated infected wound healing by topical application of encapsulated Rosemary essential oil into nanostructured lipid carriers. *Artificial Cells, Nanomedicine and Biotechnology*, 47(1), 980–988.

<https://doi.org/10.1080/21691401.2019.1582539>

- Lemaire, G., Olivero, M., Rouquet, V., Moga, A., Pagnon, A., & Synelvia, L. S. (2022). *Neryl acetate , the major component of Corsican Helichrysum Italicum essential oil , mediates its biological activities on skin barrier Short Title : Neryl acetate increases skin barrier function 1 Laboratoires 2 QIMA M & L SA – Groupe L ' Occitane , ZI S.*
- Liu, E., Gao, H., Zhao, Y. J., Pang, Y., Yao, Y., Yang, Z., Zhang, X., Wang, Y. J., Yang, S., Ma, X., Zeng, J., & Guo, J. (2022). The potential application of natural products in cutaneous wound healing: A review of preclinical evidence. *Frontiers in Pharmacology*, 13(July), 1–18. <https://doi.org/10.3389/fphar.2022.900439>
- Mahboubi, M., Taghizadeh, M., Khamechian, T., Tamtaji, O. R., Mokhtari, R., & Talaei, S. A. (2018). The Wound Healing Effects of Herbal Cream Containing Oliveria Decumbens and Pelargonium Graveolens Essential Oils in Diabetic Foot Ulcer Model. *World Journal of Plastic Surgery*, 7(1), 45–50. <http://www.ncbi.nlm.nih.gov/pubmed/29651391><http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=PMC5890365>
- Mori, H. M., Kawanami, H., Kawahata, H., & Aoki, M. (2016). Wound healing potential of lavender oil by acceleration of granulation and wound contraction through induction of TGF- β in a rat model. *BMC Complementary and Alternative Medicine*, 16(1), 1–11. <https://doi.org/10.1186/s12906-016-1128-7>
- Nadjib Boukhatem, M., Chader, H., Houche, A., Oudjida, F., Benkebaili, F., Hakim, Y., David Adams, J., & Luisa Balestrieri, M. (2021). Topical Emulsion Containing Lavandula stoechas Essential Oil as a Therapeutic Agent for Cutaneous Wound Healing. *Mdpi.Com*, 4, 288–307. <https://doi.org/10.3390/j4030023>
- Niknam, S., Tofighi, Z., Faramarzi, M. A., Abdollahifar, M. A., Sajadi, E., Dinarvand, R., & Toliyat, T. (2021). Polyherbal combination for wound healing: Matricaria. *DARU Journal of Pharmaceutical Sciences*, 29, 133–145.
- Okafo, S. E., Avbunudiogba, J. A., Ochonogor, E. A., Iwetan, B. B., & Anie, C. O. (2024). Evaluation of the Physicochemical, Antimicrobial and in vivo Wound Healing Properties of Castor Oil-Loaded Nanogels. *Tropical Journal of Natural Product Research*, 8(5), 7292–7300. <https://doi.org/10.26538/tjnpr/v8i5.35>
- Okuma, C. H., Andrade, T. A. M., Caetano, G. F., Finci, L. I., Maciel, N. R., Topan, J. F., Cefali, L. C., Polizello, A. C. M., Carlo, T., Rogerio, A. P., Spadaro, A. C. C., Isaac, V. L. B., Frade, M. A. C., & Rocha-Filho, P. A. (2015). Development of lamellar gel phase emulsion containing marigold oil (*Calendula officinalis*) as a potential modern wound dressing. *European Journal of Pharmaceutical Sciences*, 71(February), 62–72. <https://doi.org/10.1016/j.ejps.2015.01.016>
- Samuelson, R., Lobl, M., Higgins, S., Clarey, D., & Wysong, A. (2020). The Effects of Lavender Essential Oil on Wound Healing: A Review of the Current Evidence. *Journal of Alternative and Complementary Medicine*, 26(8), 680–690. <https://doi.org/10.1089/acm.2019.0286>
- Saporito, F., Sandri, G., Bonferoni, M. C., Rossi, S., Boselli, C., Cornaglia, A. I., Mannucci, B., Grisoli, P., Vigani, B., & Ferrari, F. (2018). Essential oil-loaded lipid nanoparticles for wound healing. *International Journal of Nanomedicine*, 13, 175–186.

<https://doi.org/10.2147/IJN.S152529>

- Sen, C. K. (2019). Human Wounds and Its Burden: An Updated Compendium of Estimates. *Advances in Wound Care*, 8(2), 39–48. <https://doi.org/10.1089/wound.2019.0946>
- Serra, D., Cruciani, S., Garroni, G., Sarais, G., Kavak, F. F., Satta, R., Montesu, M. A., Floris, M., Ventura, C., & Maioli, M. (2024). Effect of *Helichrysum italicum* in Promoting Collagen Deposition and Skin Regeneration in a New Dynamic Model of Skin Wound Healing. *International Journal of Molecular Sciences*, 25(9), 1–13. <https://doi.org/10.3390/ijms25094736>
- Sharma, A. K., Shukla, S. K., Kalonia, A., Shaw, P., Yashavarddhan, M. H., & Manda, K. (2020). Evaluation of Wound Healing Potential of Ascorbic Acid, Castor Oil, and Gum Tragacanth Formulation in Murine Excisional Wound Model. *Pharmacognosy Magazine*, 16(69), 359–368. <https://doi.org/10.4103/pm.pm>
- Shedoeva, A., Leavesley, D., Upton, Z., & Fan, C. (2019). Wound healing and the use of medicinal plants. *Evidence-Based Complementary and Alternative Medicine*, 2019(Figure 1). <https://doi.org/10.1155/2019/2684108>
- TEPE, M., HELVACI, E. Z., & KARADAĞ, A. E. (2024). Essential Oil Plants Traditionally Used in Wound Treatment: Systematic Review. *Journal of Literature Pharmacy Sciences*, 13(1), 8–17. <https://doi.org/10.5336/pharmsci.2022-95011>
- Thomford, N. E., Senthebane, D. A., Rowe, A., Munro, D., Seele, P., Maroyi, A., & Dzobo, K. (2018). Natural products for drug discovery in the 21st century: Innovations for novel drug discovery. *International Journal of Molecular Sciences*, 19(6). <https://doi.org/10.3390/ijms19061578>
- Valizadeh, A., Shirzad, M., Pourmand, M. R., Farahmandfar, M., Sereshti, H., & Amani, A. (2020). Preparation and Comparison of Effects of Different Herbal Oil Ointments as Wound-Healing Agents. *Cells Tissues Organs*, 207(3–4), 177–186. <https://doi.org/10.1159/000503624>
- Vila Nova, B. G., Silva, L. dos S., Andrade, M. da S., de Santana, A. V. S., da Silva, L. C. T., Sá, G. C., Zafred, I. F., Moreira, P. H. de A., Monteiro, C. A., da Silva, L. C. N., & Abreu, A. G. (2024). The essential oil of *Melaleuca alternifolia* incorporated into hydrogel induces antimicrobial and anti-inflammatory effects on infected wounds by *Staphylococcus aureus*. *Biomedicine and Pharmacotherapy*, 173(December 2023). <https://doi.org/10.1016/j.biopha.2024.116389>

