



MAHESA

Malahayati Health Student Journal

Volume 6 Nomor 6 (2026)

P-ISSN: 2746 - 198X

E-ISSN: 2746 - 3486



JURNAL PENELITIAN

Universitas Malahayati



MAHESA : MALAHAYATI HEALTH STUDENT JOURNAL
UNIVERSITAS MALAHAYATI
P-ISSN : 2746198X <> E-ISSN : 27463486

**1.88664**
Impact

**2179**
Google Citations


**Sinta 3**
Current Accreditation

[Google Scholar](#) [Garuda](#) [Website](#) [Editor URL](#)



Garuda

Google Scholar



Journal By Google Scholar

	All	Since 2021
Citation	2179	2174
h-index	15	15
i10-index	38	38

DEWAN REDAKSI

- Editor in Chief : Dr. Aprina Aprina, Poltekkes Tanjung Karang, Indonesia
- Managing Editor : Dr. Usastiawaty Cik Ayu Saadiah Isnainy, Universitas Malahayati, Indonesia
- Tim Editor : Ph.D Saffanah Binti Mohd AB Azid, School of Health Sciences Universiti Sains
Malaysia Health Campus, Malaysia
Ph.D Kridsada Keawyok, Faculty of Sport and Health Science, Thailand National
Sports University, Thailand
Dr. Ph.D Sudarshan Singh, Institute of Research and Innovation, School of
Allied Health Science, Walailak University, India
Dr. Ridwan Ridwan, Indonesia
Resmi Pangaribuan, Akademi Keperawatan Kesdam I/BB Medan, Indonesia
Andri Kusuma Wijaya, Universitas Muhammadiyah Bengkulu, Indonesia
Robby Candra Purnama, Universitas Malahayati Lampung, Indonesia
Rilyani Rilyani, Prodi Keperawatan Universitas Malahayati Lampung, Indonesia
Ricky Riyanto Iksan, STIKES Tarumanagara
- Editor Layout : M. Iqbal Arya Pramudya, Indonesia
Reka Putri Rahmawati, Indonesia
Mezan Shofi Elfachri
- Mitra Bestari : Prof. Dr. Dessy Hermawan, Universitas Malahayati, Indonesia
Ph.D Taruna Ikrar, Universitas Malahayati Lampung, Chairman of Medical
Council, The Indonesian Medical Council, Indonesia
Prof. Ph.D Wen-I Liu, National Taipei University of Nursing Sciences, Taiwan,
Province of China
Prof. Dr. Sudjarwo Sudjarwo, Universitas Malahayati, Indonesia
Ph.D Celeste A Dimaculangan, Phil. Women's University, Philippines
Ph.D Emilie M. Lopez, Department of Nursing, College of Health and Sciences
Woosong University, Daejeon City, Republic of South Korea, Korea
Ph.D Yogesh V Ushir, Principal at Smbt Institute Of Diploma Pharmacy, India
Ph.D Sastrawan Sastrawan, Faculty of Health, Qamarul Huda Badaruddin
University, Indonesia
Ph.D Dwi Marlina Syukri, Universitas Malahayati Lampung, Indonesia
Dr. Yektingtyastuti, Universitas Muhammadiyah Purwokerto, Indonesia
Dr. M. Arifki Zainaro, Universitas Malahayati Lampung, Indonesia
Dr. Mala Kurniati, Universitas Malahayati Lampung, Indonesia
Dr. Aprina Aprina, Poltekkes Tanjung Karang, Indonesia
Dr. Achmad Farich, Universitas Malahayati, Indonesia
Dr. Devita Febriani Putri, Universitas Malahayati Lampung
Dr. Devi Syarief, STIKes Mercubaktijaya Padang, Indonesia
Dr. Abdurrahman Abdurrahman, Poltekkes Kemenkes Aceh, Indonesia
Nora Veri, Poltelkes Kemenkes Aceh, Indonesia
Asman Sadino, Universitas Garut, Indonesia
Magfirah Magfirah, Poltekkes Kemenkes Aceh, Indonesia
Rifka Putri Andayani, STIKes Mercubaktijaya Padang, Indonesia
Tia Cut Mutiah, Poltekkes Kemenkes Aceh, Indonesia
Dainty Maternity, Universitas Malahayati, Indonesia

Dientyah Nur Anggina, Universitas Muhammadiyah Palembang, Indonesia
Elasari Dwi Pratiwi, Universitas Muhammadiyah Lamongan, Indonesia
Dina Dwi Nuryani, Universitas Malahayati, Indonesia
Alva Cherry Mustamu, Poltekkes Kemenkes Sorong, Indonesia
Nova Muhani, Universitas Malahayati, Indonesia
Nur'aini Purnamaningsih, Universitas Jenderal Achmad Yani Yogyakarta,
Indonesia
Annisa Primadimanti, Universitas Malahayati, Indonesia
Nurul Aryastuti, Universitas Malahayati, Indonesia
Nurhidayat Triananinsi, Universitas Megarezky Makassar, Indonesia

Penerbit :

Universitas Malahayati Lampung
Jalan Pramuka No. 27 Kemiling, Bandar Lampung
Email : mahesa@malahayati.ac.id
Web : <http://ejurnalmalahayati.ac.id/index.php/mahesa>
Terakreditasi SINTA 3 No: 152/E/KPT/2023

DAFTAR ISI

	Halaman
Pertanggungjawaban Pidana dalam Tindakan Medis Tanpa Informed Consent yang Mengakibatkan Kematian Pasien <i>Imma Apriana, Vieta Imelda Cornelis, Vallencia Nandya Paramitha, Andi Hayyun Abiddin</i>	1-9
Studi Komparatif: Dukungan Keluarga dan Kepatuhan Minum Obat dengan Kualitas Hidup Penderita Diabetes Melitus Tipe 2 di Puskesmas Waluya Cikarang Utara <i>Diana Nur Azizah, Indrianada Zahra Nurrahma, Yulta Kadang, Ananda Patuh Padaallah</i>	10-20
Analisis Implementasi 10P Dalam Bedside Handover di Ruang Rawat Inap Rumah Sakit X <i>Evi Setyowati, Hanny Handiyani, Hening Pujasari, Joan Xaveria Mahulae</i>	21-25
Hubungan Antara Karakteristik Sosiodemografi dengan Kondisi Kesehatan Rumah di Desa Sukamulya <i>Nida Nabilatuz Zahra, Laili Rahayuwati, Kosim Kosim, Iqbal Pramukti, Mamat Lukman</i>	26-37
Mapping the Causes of Neonatal Deaths in Indonesia: Insights from AMPSR Neonatal Assessments <i>Sulicha Nurhayati, Martha Irene Kartasurya, Cahya Tri Purnami</i>	38-55
Hubungan Pola Kerja Shift Malam dengan Hasil Uji Fungsi Hati pada Pekerja di RSUD Prof Dr W.Z Johannes Kupang <i>Erlan Lalu Surabda, Anderias Umbu Roga, Luh Putu Ruliati, Marlyn Junias, Jacob Matheos Ratu</i>	56-66
Konfigurasi Kombinasi Faktor yang Mendorong Efisiensi Operasional Rumah Sakit di Era Bpjs: Analisis Fuzzy-Set Qca Pada RSUD Tipe B dan C <i>Zhafira Zhafira, Nabila Nabila, Willy Sanjaya, Vip Paramarta</i>	67-81
Analisis Implementasi Kebijakan Eliminasi Malaria di District Covalima (Daerah Perbatasan Republik Demokratik Timor Leste (RDTL) - Republik Indonesia (RI)) <i>Noe Gaspar Pinto Da Silva, Christina Roni Nayoan, Pius Weraman, Noorce Christiani Berek, Imelda Februati Ester Manurung</i>	82-95
Tingkat Depresi pada Pasien Diabetes Mellitus Tipe II di Poliklinik Penyakit Dalam <i>Rahayu Setyowati, Dede Ninah Rahmawati, Aat Agustini, Firman Sugiharto</i>	96-108
Analisa Karakteristik Lingkungan Larva Anopheles Sp dan Perilaku Masyarakat Terhadap Status Potensi Malaria di Masyarakat Suco Batugade, Timor Leste <i>Manuel Belo Sarmento, Apris A. Adu, Yendris K. Syamruth, Pius Weraman, Marylin Susanti Junias</i>	109-121

Analisis Perbedaan Kadar HbA1C Berdasarkan Konsumsi Karbohidrat, Indeks Glikemik, Beban Glikemik, dan Aktivitas Fisik pada Pasien Diabetes Melitus Tipe 2 <i>Minanton Minanton, Nuridha Fauziyah</i>	122-136
Skrining Depresi Post Partum Pada Ibu Pasca Melahirkan di Wilayah Kerja Puskesmas Cancar Kabupaten Manggarai <i>Nur Dafiq, Silfia Angela Norce Halu, Fransiska Nova Nanur, Maria Sriana Banul</i>	137-145
Erythema Multiforme as a Complication in a Woman with Herpes Zoster <i>Agnes Stephanie Tanuwijaya, Niken Kusumaningrum, Hari Darmawan</i>	146-154
Hubungan Motivasi Keluarga, Teman dan Lingkungan Terhadap Keberhasilan Menyusui Bagi Ibu Pekerja di PMB Bidan Eka <i>Rahayu Khairiah, Eka Kristiani</i>	155-162
Respons Terapi pada Penderita Karsinoma Nasofaring di Jawa Barat <i>Randika Rachman, Ifiq Budiyan Nazar, Nur Akbar Aroeman, Yussy Afriani Dewi</i>	163-174
Analysis of Ednrb Gene Expression from Blood Samples Using Pcr as a Non-Invasive Biomarker for Early Detection and Severity Assessment of Hirschsprung Disease at Abdul Wahab Sjahrane Hospital, East Kalimantan <i>Pancoro Pujakelana, Yadi Yadi, Dadik Agus Soenjoto</i>	175-188
Implementation of Jean Watson's Caring Theory in NICU Nursing Practice for Families of Low Birth Weight Infants (LBW) <i>Erni Handayani, Blacius Dedi, Tri Ismu Pujianto</i>	189-200
Kajian Literatur Sistematis Berbasis Pendekatan Kualitatif Mengenai Faktor-Faktor Keberhasilan Adopsi Sistem Informasi Manajemen Rumah Sakit dalam Transformasi Digital Layanan Kesehatan <i>Dian Aulia Asri, Baiq Dian Septina, Baiq Zulia Husnawati, Ni Wayan Sri Artati, Edy Surya Pratama, I Nyoman Teguh Apriana, Putri Berliana Octavira, Sofyan Faridi</i>	201-216
Eksplorasi Strategi Koping Pada Penderita Diabetes Melitus Tipe 2 <i>Mohamad Akbar Aizhar, Arthur Huwae</i>	217-231
Pengaruh Edukasi Kesehatan melalui Media Audio Visual Terhadap Tingkat Pengetahuan Orang Tua tentang Faktor Resiko Stunting Pada Batita di Wilayah Kecamatan Kedung Waringin <i>Dhea Natasha Putri, Nafiza Dewi Pertiwi, Beatrix Elizabeth, Triseu Setianingsih</i>	232-240

Penerapan SIK dan SIMRS Terhadap Mutu Layanan dan Efisiensi Rumah Sakit <i>Dedi Maidiarto, Hardinata Hardinata, Normala Candra Puspita, Okta Santika Iriani, R.A Wulandari, Shindy Fajriani Fasha, Siti Barorah Gaugary, Sukriani Sukriani</i>	241-251
Tingkat Kecemasan Keluarga dan Pasien Gagal Jantung Saat Menjalani Rawat Inap: Studi Deskriptif <i>Hanifah Eka Ningtyas, Beti Kristinawati</i>	252-264
Penerapan Passive Stretching Exercise Pada Pasien Diabetes Melitus Tipe 2 Terhadap Penurunan Kadar Glukosa Darah <i>Harwina Widya Astuti, Yani Sofiani, Ninik Yunitri, Fitriani Rayasari, Uswatun Hasanah</i>	265-273
Aktivitas Antimikroba Ekstrak Daun Tin (<i>Ficus carica</i> L.) terhadap <i>Streptococcus mutans</i> dan <i>Porphyromonas gingivalis</i> <i>Rachmat Faisal Syamsu, Moch. Erwin Rachman, Siska Nuryanti, Muhammad Alief Akbar, Annisa Ancha</i>	274-281
Inkontinensia Urin pada Lansia: Analisis Sosiodemografi Dampak Latihan Kegel Terhadap Kualitas Hidup Lansia <i>Nungki Marlian Yuliadarwati, Himawan Wismanadi, Noortje Anita Kumaat</i>	282-300
Rempah Maluku Permen Pala Terhadap Intensitas Mual Muntah Ibu Hamil Trimester Pertama <i>Melawati Wakano, Jayanti Djarami, Asriaty Dinopawe, M. Yosef Karno, Nurdiana Pelulessy, Marwa Hasan Kadatua</i>	301-310
Analisis Kesiapan Fasilitas Kesehatan dalam Penerapan Kelas Rawat Inap Standar Menurut Perpres Nomor 59 Tahun 2024 tentang Jaminan Kesehatan di Rumah Sakit Umum Daerah Soe <i>Apnel Yohanis Tode, Apris A. Adu, Fransiskus Geroda Mado, Anderias Umbu Roga, Yendris K. Syamruth</i>	311-323
Strategi Pengelolaan Smoothies Dari Buah Pisang dan Semangka sebagai Alternatif Menurunkan Tekanan Darah Pada Penderita Hipertensi <i>Bunga Oktora, Irma Gita, Yuliana Yuliana, Ellys Mawanti Silalahi, Irianto Honest, Devi Irawan</i>	324-332
Drug- Related Problem (Drps) pada Pasien Pediatric dengan Tuberculosis: Systematic Review <i>Meia Yevi Setiawati, Zakky Cholisoh</i>	333-351
Hubungan Derajat Cedera Kepala dengan Kadar Gfap pada Pasien Cedera Kepala di RSUP Dr. M. Djamil Padang <i>Rika Susanti, Raisya Ivana, Rizki Rahmadian</i>	352-364
Pengembangan Bra Kompres dalam Mengatasi Masalah Pada Masa Laktasi	365-372

Rahajeng Siti Nur Rahmawati, Agus Khoirul Anam, Finta Isti Kundarti, Iva Firdayanti, Andi Hayyun Abiddin

Clinical Prevention Strategies of Rebound Pain Phenomenon After Peripheral Nerve Block: A Narrative Review 373-379

Made Ricky Catur Purnama, I Gusti Ngurah Mahaalit Aribawa

Escalation of Anesthesia in Vitrectomy for Chronic Kidney Disease Patients: From Peribulbar Block to General Anesthesia 380-386

Ida Bagus Indrayoga Permana, I Made Gede Widnyana

Pengetahuan, Sikap, dan Perilaku Guru SD Islam Al-Hadiriah Pada Kesehatan Gigi dan Mulut 387-402

Helwiah Umniyati, Alisa Novianty Pratiwi, Rika Apriani, Risna Nicola, Rizky Nizza, Rosita Rosita, Safira Ramadhani

Kepercayaan dan Ritual Sebagai Penghambat atau Pendukung Dalam Pencegahan Stunting: Studi Literatur Review 403-424

Badrul Hisyam, Tantut Susanto, Suhari Suhari

Modulasi Serotonin Serum dan Motilias Usus melalui Aktivitas Fisik Renang Pada Mencit (Mus Musculus) Jantan Konstipasi 425-436

Aulia Mahdaniyati S, Susy Purnawati, I Gusti Ayu Widiyanti

Pengaruh Pemberian Antipsikotik Atipikal Terhadap Perubahan Berat Badan Pada Pasien Skizofrenia di Rumah Sakit Khusus Daerah Dadi Provinsi Sulawesi Selatan 437-446

Mentari Dwi Oktaviani, Rachmat Faisal S, Ilma Khaerina Amaliyah B, Aryanti R. Bamahry, Muhammad Alim Jaya

Peran Protektor Vitamin D Dalam Mempertahankan Massa Otot Pada Kelompok Lanjut Usia 447-459

Ernawati Ernawati, Frisca Frisca, Alexander Halim Santoso, Edwin Destra, Farell Christian Gunaidi, Alicia Herdiman, Friliesa Averina

Pengaruh Bauran Pemasaran Terhadap Tingkat Kepuasan Konsumen Di Asri Terapi Center Tahun 2025 460-470

Tresna Fatmawati, Henni Febriawati, Achmad Faisal Rizal, Ferry Adhinata

Tradisi Bapukung Suku Banjar Dalam Asuhan Keperawatan Anak: Kajian Etnografi Interpretatif dan Analisis Efektivitas Siklus Tidur Rapid Eye Movement (Rem) Pada Bayi 471-479

Erliana Puteri, Abdus Salam, Uswatun Hasanah, Khalidah Khalidah, Herman Ariadi, M. Irfan Naufal, Dian Yuliazahra

ERYTHEMA MULTIFORME AS A COMPLICATION IN A WOMAN WITH HERPES ZOSTER

Agnes Stephanie Tanuwijaya^{1*}, Niken Kusumaningrum², Hari Darmawan³

¹Bachelor of Med, Faculty of Medicine, Tarumanagara University, Jakarta

²Dermatology and Venereology Specialist, K.R.M.T. Wongsonegoro Regional General Hospital, Semarang

³Department of Dermatology and Venereology, Faculty of Medicine, Tarumanagara University, Jakarta

Email Correspondence: agnes.406231063@stu.untar.ac.id

Disubmit: 19 Oktober 2025 Diterima: 15 Mei 2026 Diterbitkan: 01 Juni 2026
Doi: <https://doi.org/10.33024/mahesa.v6i6.23169>

ABSTRACT

Globally, the incidence of erythema multiforme (EM) is estimated to be between 0.01 and 1%, with a frequency of approximately 1.2 to 6 cases per million people per year. This condition can be triggered by viral infections, one of which is the varicella-zoster virus (VZV). Herpes zoster occurs due to reactivation of VZV and can cause EM. This condition requires special attention due to its potential severity and diagnostic difficulties. This case presentation describes this rare occurrence in a 43-year-old woman, exploring the clinical presentation, diagnostic approach, and therapeutic management of this unusual combination of virus-induced dermatological manifestations. The patient was given a combination of systemic corticosteroids and antivirals, as well as antibiotics and medications for other symptomatic symptoms. After a three-day hospital stay that showed clinical improvement, the patient was discharged with continued outpatient follow-up and a process to continue the prescribed oral and topical treatment with an appropriate reduction in the systemic corticosteroid dose.

Keywords: Erythema Multiforme, Herpes Zoster, Herpes Zoster-Associated Erythema Multiforme (HAEM), Corticosteroid, Antiviral.

INTRODUCTION

Globally, the incidence of EM has been estimated between 0.01 and 1%, with a frequency of approximately 1.2 to 6 cases per million individuals per year, though the exact prevalence remains difficult to determine (Wollina & Gemmeke, 2009; Traves et al., 2019). The condition predominantly affects young adults between 20 and 40 years of age, with approximately 20% of cases occurring in children, and is reported to occur equally across all ethnic groups worldwide

(Hafsi et al., 2024). While herpes simplex virus (HSV) infection accounts for 70-80% of EM cases, varicella-zoster virus (VZV)-associated EM represents a rare but clinically significant variant that warrants particular attention due to its potential severity and diagnostic challenges (Zhu et al., 2022).

The Asia-Pacific region, including Southeast Asian countries, experiences a substantial and increasing burden of both herpes zoster (HZ) and its associated

complications, with epidemiological trends demonstrating that HZ incidence is rising at approximately 5% per year (Chen et al., 2017; Chan et al., 2023). The average incidence of HZ in Asia-Pacific countries has been documented at 3-10 cases per 1,000 person-years, with prevalence rates ranging from 203 to 224 per 100,000 persons in some populations, with the highest prevalence observed in individuals aged 70-79 years (Chan et al., 2023; San Martin et al., 2023). While comprehensive epidemiological data specific to EM in Asia-Pacific countries remain limited, clinical case reports and hospital-based studies suggest substantial healthcare resource utilization for patients experiencing EM and its complications (San Martin et al., 2023). Of particular concern, patients with immunocompromised or autoimmune inflammatory conditions in the Asia-Pacific region demonstrate significantly elevated risks for HZ and its complications, including EM, suggesting that vulnerable populations warrant targeted surveillance and preventive interventions (Chen et al., 2024).

Indonesia, as the most populous Southeast Asian nation, presents a unique epidemiological landscape for both HZ and EM, though comprehensive national-level data remain scarce. Data from Prof. Dr. R. D. Kandou Hospital Manado documented 0.68% cases of HZ in 2013, with peak incidence occurring in individuals aged 45-64 years (78,57%), demonstrating a female predominance in most hospital-based cohorts (Dilly et al., 2016). Hospital-based studies from Prof. Dr. I.G.N.G. Ngoerah General Hospital in 2019-2022 have reported higher proportions among elderly populations aged 60 years and above who frequently present with multidermatome involvement and

post-herpetic neuralgia complications (Hosea & Praharsini, 2025).

The concurrent presentation of EM major with active HZ represents a particularly unusual clinical manifestation, combining the localized vesicular pathology of HZ with the disseminated hypersensitivity response characteristic of EM major. This case presentation describes such a rare occurrence in a 43-year-old female, exploring the clinical presentation, diagnostic approach, and therapeutic management of this unusual combination of viral-induced dermatological manifestations.

LITERATURE REVIEW

Erythema multiforme (EM) is an immune-mediated, self-limiting mucocutaneous hypersensitivity reaction characterized by distinctive target-shaped lesions that reflects the body's complex immunological response to various triggering factors (Sokumbi & Wetter, 2012). The condition represents a type IV hypersensitivity reaction involving T-lymphocyte-mediated targeting of skin keratinocytes triggered by specific antigens resembling those of infectious agents or foreign substances (Alkhaleefa et al., 2022). EM presents across a spectrum ranging from mild to severe forms, with the distinction between EM minor and major determined primarily by the extent of mucosal involvement and systemic manifestations. EM minor typically presents with limited mucosal involvement and symmetrical target cutaneous lesions on extremities with a self-limited course, while EM major is characterized by extensive mucosal membrane involvement affecting two or more sites and carries greater morbidity (Hasan et al., 2018; Hafsi et al., 2024).

RESEARCH METHODS

We conducted a case report-based study at Wongsonegoro Hospital. Data collection was conducted using patient medical records, including patient history, physical examination, supporting procedures, and therapy. Follow-up was then conducted one-month post-hospitalization.

CASE REPORT

A 43-year-old housewife presented with complaints of redness and itching all over her body for the past three days, which had worsened since yesterday. Initially, the patient had a fever with a nonspecific pattern, accompanied by weakness, nausea, and intermittent headaches and joint pain (VAS 4/10). The patient also complained of clustered, fluid-filled, reddish blisters on her chest and abdomen, accompanied by itching, burning, and fever. She then sought treatment from a midwife and was prescribed acyclovir ointment.

However, the following day, the redness spread to her feet and hands, accompanied by increasingly severe itching, burning, and fever. Other complaints, such as red eyes and sensitivity to light, were denied. Vomiting and a sore throat were denied. Frequent bowel movements and urination were also reported.

Regarding her medical history, the patient denied any previous history of allergic reactions to medications or foods. Notably, she could not recall a documented episode of chickenpox during childhood or adolescence. She specifically denied any previous episodes of the current presentation. Significant systemic diseases including diabetes mellitus, malignancy, autoimmune disorders, and human immunodeficiency virus infection were all explicitly denied. The patient reported no recent close contact with individuals displaying similar symptoms, and subsequent investigation of family members, neighbors, and community contacts revealed no additional cases.



Figure 1. Patient's Dermatological Status

The purple circle is dermatomal lesion in HZ; the yellow arrows are target lesions in EM.

Physical examination revealed a patient with *compos mentis* and vital signs within normal reference ranges, demonstrating hemodynamic stability despite the severe cutaneous presentation. Abdominal palpation demonstrated epigastric tenderness without peritoneal signs. Peripheral perfusion assessment revealed acral skin warmth bilaterally with capillary refill time less than two seconds, indicating preserved microcirculation.

The dermatological examination constituted the most striking finding: the patient demonstrated widespread, well-demarcated lesions distributed across the anterior trunk, abdomen, bilateral upper and lower extremities in a generalized distribution pattern. The lesion morphology displayed remarkable polymorphism erythematous macules transitioned to purplish papules of miliary to plaque dimensions, with many lesions exhibiting the pathognomonic target or iris morphology. Particularly notable were miliary to lenticular-sized vesicles clustered and confluent across bilateral thoracic and hypochondriac regions (Figure 1).

The ECG examination was found within normal limits. A complete blood count, blood sugar, and liver and kidney function tests were within normal limits. A Tzanck test revealed multinucleated giant cells. The HIV test was non-reactive, and only hyponatremia (129 mmol/L) was found.

Based on the history and examination results, the patient was diagnosed with erythema multiforme major with ongoing herpes zoster. The treatment given to the patient was IVFD NaCl 0.9% 500 cc continued at 20 tpm, ranitidine injection 2x50 mg, dexamethasone injection 3x5

mg, and diphenhydramine injection 2x10 mg. Patients are also given oral medications such as loratadine tablets 2x10 mg, acyclovir tablets 5x800 mg for 7 days, gabapentin tablets 1x300 mg, and erythromycin tablets 3x500 mg. Topical medications such as a combination cream containing desoxymetasone 30 grams + lanolin 30 grams + fucilex 10 grams were used 3 times a day on the red area other than the vesicles. In the area with vesicles, betadine spots were applied 3 times a day, and a combination cream containing acyclovir and fusidic acid was given 3 times a day after the betadine spots were applied.

The patient was also placed under close coordination with an internal medicine specialist to ensure comprehensive medical supervision and management of systemic complications. Throughout the three-day hospitalization period, the patient demonstrated marked clinical improvement. The widespread erythematous lesions progressively faded, with target lesions becoming less prominent and the inflammatory erythema substantially reduced (Figure 2). The vesicular eruption showed accelerated crusting and epithelialization, and no increase in lesion size occurred. Systemic symptoms, including fever, malaise, and arthralgia, largely resolved. Pruritus significantly reduced, and the patient regained functional capacity.

After three days of hospital-based treatment demonstrating clinical improvement, the patient was discharged to home with continued outpatient follow-up and instructions to continue the prescribed oral and topical medications with appropriate tapering of systemic corticosteroids.



Figure 2. Post-Therapy Dermatological Status

DISCUSSION

The simultaneous presentation of EM mayor and HZ in this patient represents a critical understanding of how viral infections trigger aberrant immune responses in the skin (Trayes et al., 2019). To comprehend the pathogenesis of this case, one must recognize that HZ did not simply coexist with EM mayor—rather, the reactivated VZV served as the primary immunologic trigger that initiated the systemic, immune-mediated cascade characteristic of EM mayor (Wollina et al., 2009). The initial presentation of clustered vesicles on the thorax and abdomen reflected active viral replication within sensory nerve ganglia and their dermatomes; however, the subsequent rapid, widespread, and symmetrically distributed erythematous target lesions extending to acral sites represented a fundamentally different pathologic process reflecting aberrant host immunity (Hafsi et al., 2024). Erythema multiforme exists at the intersection of viral infection and exaggerated adaptive immune responses involving cell-mediated hypersensitivity (Soares et al., 2021). The pathogenesis begins when viral antigens—in this case, VZV glycoproteins or nucleoproteins expressed on the surface of infected keratinocytes—are presented to circulating CD4⁺ T lymphocytes

through major histocompatibility complex (MHC) class II molecules on antigen-presenting cells (Hafsi et al., 2024). The molecular mechanisms of keratinocyte destruction in EMM operate through multiple converging pathways leading to programmed cell death (Sankari et al., 2015).

The inflammatory microenvironment amplifies the cascading tissue destruction through autocrine and paracrine cytokine signaling (Alkhaleefa et al., 2022). Activated Th1 cells and infiltrating macrophages continuously secrete pro-inflammatory cytokines including TNF- α , interferon-gamma (IFN- γ), interleukin-1 (IL-1), and interleukin-6 (IL-6), which increase vascular permeability and promote recruitment of additional inflammatory cells to affected skin (Hafsi et al., 2024). These cytokines upregulate expression of adhesion molecules and chemotactic factors, creating a self-perpetuating cycle of immune cell recruitment and activation (Soares et al., 2021). The systemic manifestations observed in this patient—fever, malaise, weakness, nausea, and electrolyte disturbances—reflect the spillover of these inflammatory mediators beyond the skin into systemic circulation (Hafsi et al., 2024). The presence of hyponatremia likely

resulted from syndrome of inappropriate antidiuresis (SIADH) induced by cytokine-mediated non-osmotic release of vasopressin, a well-documented consequence of acute viral infections and systemic inflammatory responses (Krolicka et al., 2020). This finding underscored that the patient's pathologic process extended beyond a localized dermatologic eruption and represented a systemic inflammatory emergency requiring comprehensive therapeutic intervention (Michaels, 2009).

The differential diagnosis for this case is erythroderma et causa drug eruption. However, because there is no mucosal involvement or previous medical history, normal complete blood count results, and multinucleated giant cells on the Tzanck test, the differential diagnosis of drug eruption can be ruled out. The therapeutic approach employed in this case exemplifies modern EM management based on understanding of its immunopathogenesis. The antiviral component of therapy targeted VZV replication through high-dose acyclovir administration. Acyclovir operates through a mechanism of competitive inhibition of viral DNA polymerase following conversion to its active triphosphate form by viral thymidine kinase (Taylor et al., 2023). Once activated, acyclovir triphosphate competes with natural substrate deoxyguanosine triphosphate for incorporation into viral DNA, effectively terminating chain elongation and preventing viral DNA replication. The high oral dosage of 800 mg five times daily was selected to achieve cutaneous and systemic concentrations sufficient for VZV suppression; studies have demonstrated that acyclovir initiated within 72 hours of zoster onset reduces viral shedding,

accelerates lesion healing, and limits pain duration (Gnann, 2007).

Systemic corticosteroids exert their therapeutic effects in EMM through multiple complementary mechanisms that directly address the aberrant immune activation responsible for keratinocyte destruction (Hodgens et al., 2023). Corticosteroids operate through both genomic and non-genomic mechanisms, with the rapid non-genomic effects occurring within seconds to minutes of glucocorticoid receptor activation and providing immediate anti-inflammatory benefit (Hodgens et al., 2023). At the non-genomic level, corticosteroids activate membrane-bound glucocorticoid receptors and intracellular glucocorticoid receptors, triggering rapid inhibition of phospholipase A2—the critical enzyme responsible for releasing arachidonic acid from cell membranes (Hodgens et al., 2023). This phospholipase A2 inhibition represents a critical therapeutic target because arachidonic acid serves as the precursor for synthesis of inflammatory eicosanoids including prostaglandins and leukotrienes that amplify inflammatory cell recruitment and vascular permeability (Hodgens et al., 2023). By blocking this pathway, corticosteroids immediately reduce the inflammatory mediator milieu driving vascular dilation, edema, and immune cell infiltration into affected skin (Hodgens et al., 2023). Beyond these acute non-genomic effects, corticosteroids exert profound immunosuppressive effects through genomic mechanisms operating over hours (Hodgens et al., 2023). Critically, acyclovir does not directly suppress the aberrant immune response already set in motion; rather, it removes the stimulus perpetuating immune activation (Trayes et al., 2019). This

distinction is crucial to understanding why antiviral monotherapy alone would likely have been insufficient and why the combination of corticosteroids and acyclovir proved so effective in this case (Trayes et al., 2019). Acyclovir suppresses the source of antigen, while corticosteroids suppress the aberrant response to that antigen, together achieving synergistic therapeutic benefit (Katz et al., 1999).

The underlying reason for this synergy becomes evident when one considers the temporal dynamics of immune activation in herpesvirus infections (Katz et al., 1999). Early in infection, viral replication, and antigen production drive immune activation; attempting to suppress immune responses without addressing viral replication removes the brakes without turning off the engine driving pathology (Trayes et al., 2019). Conversely, suppressing viral replication without dampening the aberrant immune response allows existing pathogenic T cells and their cytokine-mediated effects to continue causing tissue damage (Trayes et al., 2019). Several studies showed effectiveness of combination therapy with recurrent oral HAEM was treated with acyclovir (1,000 mg/day) plus prednisone (10 mg/day) for 7 days, along with topical corticosteroids and antiseptic. The lesions healed completely with no sequelae (Muryah et al., 2017). Susanto et al. showed treatment included oral methylprednisolone and oral acyclovir, plus topical steroid,

CONCLUSION

This case exemplifies the power of understanding disease pathophysiology to guide rational therapy and predict clinical response. The superior outcome

achieved here resulted from simultaneous targeting of both the viral trigger and the aberrant immune response, supported by adjunctive therapies addressing specific secondary pathophysiologic processes including histamine-mediated inflammation, neuropathic pain, electrolyte derangement, and topical tissue destruction.

REFERENCES

- Alkhaleefa, A., Campbell, B., Omotajo, D., & Hardin, J. (2022). Erythema multiforme (EM): Pathophysiology and clinical findings. *Calgary Guide* [Internet]. <https://calgaryguide.ucalgary.ca/erythema-multiforme-em-pathophysiology-and-clinical-findings/erythema-multiforme/>
- Chan, X.B.V., Tan, N.C., Ng, M.C.W., Ng, D.X., Koh, Y.L.E., Aau, W.K., Ng, C.J. (2023). Prevalence and healthcare utilization in managing herpes zoster in primary care: a retrospective study in an Asian urban population. *Frontiers in Public Health*, 11, 1213736. <https://doi.org/10.3389/fpubh.2023.1213736>
- Chen, J., Abrahamson, P. E., Ke, Y., Ong, C. R., Parikh, R., & Shantakumar, S. (2024). A systematic literature review of the epidemiology and burden of herpes zoster in selected locales in Asia Pacific. *Human vaccines & immunotherapeutics*, 20(1), 2344983. <https://doi.org/10.1080/21645515.2024.2344983>
- de Souza Camargo, H., de Oliveira, D.D.S., de Oliveira Barbeiro, C., Esteves, V.Z., Bufalino, A., Massucato, E.M.S., Navarro,

- C.M. (2024). Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology, 137(6), e204. <https://doi.org/10.1016/j.oooo.2023.12.279>
- Dilly, J. T., Kapantow, M. G., & Suling, P. L. (2016). Profil herpes zoster di poliklinik kulit dan kelamin RSUP Prof. Dr. R. D. Kandou Manado periode Januari - Desember 2013. E-CliniC, 4(2). <https://doi.org/10.35790/ecl.v4i2.14563>
- Gnann Jr., J. W. (2007). Antiviral therapy of varicella-zoster virus infections. In A. Arvin (Eds.) et. al., Human Herpesviruses: Biology, Therapy, and Immunoprophylaxis. Cambridge University Press.
- Hafsi, W., & Badri, T. (2024). Erythema Multiforme. StatPearls Publishing. <https://www.ncbi.nlm.nih.gov/books/NBK470259/>
- Hasan, S., Jangra, J., Choudhary, P., Mishra, S. (2018). Erythema Multiforme: A Recent Update. Biomedical and Pharmacology Journal, 11(1). <https://dx.doi.org/10.13005/bpj/1358>
- Hodgens, A., & Sharman, T. (2023). Corticosteroids. StatPearls Publishing. <https://www.ncbi.nlm.nih.gov/books/NBK554612/>
- Hosea, F. E., & Praharsini, I. G. A. A. . (2025). Characteristic of Herpes Zoster in the Elderly at Prof. Dr. I.G.N.G. Ngoerah General Hospital: An Epidemiologic Study. Berkala Ilmu Kesehatan Kulit Dan Kelamin, 37(2), 84-89. <https://doi.org/10.20473/bikk.v37.2.2025.84-89>
- Katz, J., Livneh, A., Shemer, J., Danon, Y. L., & Peretz, B. (1999). Herpes simplex-associated erythema multiforme (HAEM): a clinical therapeutic dilemma. Pediatric dentistry, 21(6), 359-362.
- Królicka, A. L., Kruczkowska, A., Krajewska, M., & Kuształ, M. A. (2020). Hyponatremia in Infectious Diseases-A Literature Review. International journal of environmental research and public health, 17(15), 5320. <https://doi.org/10.3390/ijerp17155320>
- Menaldi, S. L., Halim, P. A., & Kurniawan, K. (2022). Efficacy of gabapentinoids for acute herpes zoster in preventing postherpetic neuralgia: a systematic review of randomized controlled trials. Dermatology online journal, 28(5), 10.5070/D328559238. <https://doi.org/10.5070/D328559238>
- Michaels B. (2009). The role of systemic corticosteroid therapy in erythema multiforme major and stevens-johnson syndrome: a review of past and current opinions. The Journal of clinical and aesthetic dermatology, 2(3), 51-55.
- Muryah, A.E., & Sufiawati, I. (2017). Successful treatment of herpes simplex-associated erythema multiforme with a combination of acyclovir and prednisone. Journal of Dental, Jaw and Face Development and Science, 2(3).
- Sankari, S. L., Babu, N. A., Rajesh, E., & Kasthuri, M. (2015). Apoptosis in immune-mediated diseases. Journal of pharmacy & bioallied sciences, 7(Suppl 1), S200-S202. <https://doi.org/10.4103/0975-7406.155902>

- San Martin, P., Aunhachoke, K., Batac, M. C. F., Lodrono-Lim, K., Kwanthitinan, C., Santoso, D., Fonseka, T., Nguyen, M., & Guzman-Holst, A. (2023). Systematic Literature Review of Herpes Zoster Disease Burden in Southeast Asia. *Infectious diseases and therapy*, 12(6), 1553-1578. <https://doi.org/10.1007/s40121-023-00822-0>
- Soares, A., & Sokumbi, O. (2021). Recent Updates in the Treatment of Erythema Multiforme. *Medicina (Kaunas, Lithuania)*, 57(9), 921. <https://doi.org/10.3390/medicina57090921>
- Sokumbi, O., & Wetter, D. A. (2012). Clinical features, diagnosis, and treatment of erythema multiforme: a review for the practicing dermatologist. *International journal of dermatology*, 51(8), 889-902. <https://doi.org/10.1111/j.1365-4632.2011.05348.x>
- Susanto, H., Nurhilailah, Ganesha, R., Hendarti, H.T., Hadi, P. (2021). Herpes-associated erythema multiforme in a postmenopausal woman. *Majalah Kedokteran Gigi Indonesia*, 7(1), 51-59. <http://doi.org/10.22146/majkedgiind.43299>
- Taylor, M., & Gerriets, V. (2023). *Acyclovir*. StatPearls Publishing. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK542180/>
- Trayes, K. P., Love, G., & Studdiford, J. S. (2019). Erythema Multiforme: Recognition and Management. *American family physician*, 100(2), 82-88.
- Wollina, U., & Gemmeke, A. (2009). Herpes zoster - associated erythema multiforme. *Journal of dermatological case reports*, 3(1), 11-13. <https://doi.org/10.3315/jdcr.2009.1025>
- Zhu, Q., Wang, D., Peng, D., Xuan, X., & Zhang, G. (2022). Erythema multiforme caused by varicella-zoster virus: A case report. *SAGE open medical case reports*, 10, 2050313X221127657. <https://doi.org/10.1177/2050313X221127657>